

SCHAEFER
BRUSH

GENERAL PRODUCTS CATALOG



HIGH QUALITY INDUSTRIAL BRUSHES
AND BRUSH SYSTEMS



WHO ARE WE

Schaefer Brush offers industrial quality, long-lasting, efficient brushes designed to perform under heavy use by tradesmen, manufacturers, and maintenance professionals. Our in-house design and engineering teams, manufacturing capabilities and extensive inventory make us the right choice for both your most common and custom brush needs.

We work to constantly improve and the Schaefer Brush Team continues to “**CLIMB**” with emphasis upon:

Customer Focused

Lean Manufacturer

Innovative Solutions

Manufacturing Excellence

Best Practices

Caring for Our Customers.

Schaefer Brush has extensive experience in brush applications, bolstered by advanced engineering, high-quality manufacturing and lasting customer relationships. Distributors and manufacturers value Schaefer Brush’s product availability and reliability, competitive pricing, and our timely response to customers needs. End users value the durability and reliability of our brushes and the exceptional service we provide.



QUALITY

HISTORY

OVER 100 YEARS OF QUALITY AND SERVICE

Schaefer Brush has consistently built upon its rich history of designing, engineering, and manufacturing industrial brushes and related products. With an extensive portfolio of in stock, tradesman quality brushes and unlimited custom brush capabilities; we are one of the most diverse brush manufacturers in the industry.

In business since 1905, Schaefer Brush began by offering tank and kettle brushes to the brewing industry. Schaefer now has extensive experience in a wide array of brush applications, bolstered by engineering expertise for designing custom brushes, complete brush systems, and brush components for machinery.

PROUDLY MADE IN AMERICA



Schaefer Brush is headquartered in Waukesha, Wisconsin. Schaefer Brush's 70,000-square-foot facility in Waukesha (located west of Milwaukee), Wisconsin, includes one-of-a-kind automated machinery, engineering, and a fully equipped and staffed machine shop. That capacity allows us to ship product to distributors and end users quickly. While Schaefer specializes in innovative Twisted-in-Wire technology, we also offer a full line of brush types.

Brush types:

- Twisted-in-wire
- Metal-back strip
- Cylinder
- Staple-Set
- Hand drawn



Distributors and manufacturers value Schaefer Brush's product availability, reliability, competitive pricing, and our teams' timely response to customer needs.

End users value the durability, quality, and dependability of our brushes.



PARTNERSHIP

Schaefer Brush would be honored to work with you. We offer a broad range of Competencies to Support our Partners

- In-house engineering design
- Custom packaging
- Stocking programs
- Custom manufacturing
- Private labeling
- Automation

CUSTOM DESIGN

Our team of engineers are ready to assist you with your next product. With over 75 years of combined experience, our team has the knowledge and expertise to assist you with a custom tube brush or a conveyor cleaning system.


We offer design and technical consulting services and CAD engineer drawings to support your project needs.



CUSTOMER SERVICE

Our Customer Care Team is ready to assist you. They can help guide you to the best brush for your needs, help you place your order or update you about your shipment. Our talented and friendly staff is happy to help you with all of your questions.

Our Customer Care staff is available between 8 a.m. and 4:30 p.m., Central Time. They may be reached at customerservice@schaeferbrush.com or by phone at 800-347-3501. They look forward to hearing from you!



MARKETS: **TRADESMAN QUALITY BRUSHES**

Modern technology and equipment deliver precision and quality combined with the talent, knowledge, and dedication of our team, enables Schaefer Brush to deliver tradesman quality brushes for a variety of markets including HVAC/Refrigeration, Plumbing, Maintenance and Manufacturing.

HVAC/REFRIGERATION

PAGE 10

**FITTING BRUSH | TUBE BRUSH | BOILER/FURNACE BRUSH
CHIMNEY BRUSH | HVAC/REFRIGERATION ACCESSORIES**

Our pre-engineered and custom brushes are tailored to meet the needs of HVAC technicians and maintenance/repair businesses to prepare and maintain heating, venting and air conditioning systems.



PLUMBING

PAGE 36

FITTING BRUSH PLUMBING | PLUMBING ACCESSORIES

Schaefer Brush offers a wide variety of copper fitting and plumbing tools and accessories. These include Stainless Steel and Carbon filament fitting brushes to clean and deburr fittings and tubing in a variety of plumbing applications.



MRO/INDUSTRIAL

PAGE 46

INDUSTRIAL TUBE BRUSH | SCRATCH BRUSH | SCRUB BRUSH | CHIP BRUSH

Schaefer's brushes fulfill many needs and are widely used for surface preparation, treatment, and scheduled maintenance to keep manufacturing equipment performing at its best.




CONVEYOR CLEANING

PAGE 60

CHANNEL/BEAM SWEEP | S-VECO SELF CLEANING ASSEMBLY MODULAR

Schaefer Brush offers cleaning solutions for conveyor systems that are used in surface cleaning and preparation processes.





BRUSHES FOR:

HVAC / REFRIGERATION

Pre-engineered and custom brushes tailored to meet the needs of HVAC and Refrigeration technicians and maintenance/repair businesses to prepare and maintain heating, venting and air conditioning systems.



FITTING BRUSH.....	12-13	CHIMNEY BRUSH.....	25-29
HAND-FITTING BRUSH.....	12	PELLET STOVE BRUSH.....	25
900 SERIES - PREMIUM STAINLESS STEEL		POLYPROPYLENE	
DOUBLE SPIRAL / DOUBLE STEM.....	12	SINGLE SPIRAL / SINGLE STEM.....	25
800 SERIES - STANDARD STAINLESS STEEL		NYLON	
SINGLE SPIRAL / SINGLE STEM.....	12	SINGLE SPIRAL / SINGLE STEM.....	25
700 SERIES - STANDARD STAINLESS STEEL		PRO-CLEAN HOME CHIMNEY BRUSH.....	25-26
SINGLE SPIRAL / SINGLE STEM.....	13	PRO-CLEAN HOME - ROUND - OIL TEMPERED WIRE	
POWER FITTING BRUSH.....	13	SINGLE SPIRAL / DOUBLE STEM.....	25
9700 SERIES - HEX SHAFT STAINLESS STEEL		PRO-CLEAN HOME - SQUARE - OIL TEMPERED WIRE	
SINGLE SPIRAL / SINGLE STEM.....	13	SINGLE SPIRAL / DOUBLE STEM.....	26
8700 SERIES - TWISTED STEM STAINLESS STEEL		PRO-CLEAN HOME - RECTANGLE - OIL TEMPERED WIRE	
SINGLE SPIRAL / SINGLE STEM.....	13	SINGLE SPIRAL / DOUBLE STEM.....	26
TUBE BRUSH.....	14-21	PRO-CLEAN HOME - ROUND - POLYPROPYLENE	
CONDENSER BRUSH.....	14-18	SINGLE SPIRAL / DOUBLE STEM.....	26
NYLON		PRO-SWEEP CHIMNEY BRUSH.....	27-29
SINGLE SPIRAL / SINGLE STEM.....	14	PRO-SWEEP MEDIUM DUTY - ROUND - OIL TEMPERED WIRE SINGLE	
BRASS		SPIRAL / DOUBLE STEM.....	27
SINGLE SPIRAL / DOUBLE STEM.....	15	PRO-SWEEP MEDIUM DUTY - ROUND - POLYPROPYLENE	
STAINLESS STEEL EXTRA STIFF		SINGLE SPIRAL / DOUBLE STEM.....	27
DOUBLE SPIRAL / DOUBLE STEM.....	15	PRO-SWEEP HEAVY DUTY - ROUND - OIL TEMPERED WIRE	
STAINLESS STEEL		DOUBLE SPIRAL / DOUBLE STEM.....	27
SINGLE SPIRAL / DOUBLE STEM.....	16	PRO-SWEEP HEAVY DUTY - SQUARE - OIL TEMPERED WIRE	
STAINLESS STEEL		DOUBLE SPIRAL / DOUBLE STEM.....	28
DOUBLE SPIRAL / DOUBLE STEM.....	17	PRO-SWEEP HEAVY DUTY - RECTANGULAR - OIL TEMPERED WIRE	
SPIN GRIT		DOUBLE SPIRAL / DOUBLE STEM.....	28
SINGLE SPIRAL / SINGLE STEM.....	17	PRO-SWEEP HEAVY DUTY - ROUND - POLYPROPYLENE	
SPIN CLEAN		SINGLE SPIRAL / DOUBLE STEM.....	28
SINGLE SPIRAL / SINGLE STEM.....	18	PRO-SWEEP FLAT STEEL WIRE - ROUND	
FLUE BOILER BRUSH.....	18-21	SINGLE SPIRAL / DOUBLE STEM.....	29
NYLON		PRO-SWEEP FLAT WIRE - SQUARE - OIL TEMPERED WIRE	
SINGLE SPIRAL / DOUBLE STEM.....	18	SINGLE SPIRAL / DOUBLE STEM.....	29
BRASS		PRO-SWEEP FLAT WIRE - RECTANGLE - OIL TEMPERED WIRE SINGLE	
SINGLE SPIRAL / DOUBLE STEM.....	19	SPIRAL / DOUBLE STEM.....	29
STAINLESS STEEL		HVAC ACCESSORIES.....	30-33
SINGLE SPIRAL / DOUBLE STEM.....	19	HVAC / REFRIGERATION BRUSHES.....	30-33
STAINLESS STEEL		OUTSIDE TUBE BRUSH STAINLESS STEEL.....	30
DOUBLE SPIRAL / DOUBLE STEM.....	20	ACID BRUSH.....	30
SPRING GRADE TEMPERED WIRE		DOPE BRUSH.....	30
SINGLE SPIRAL / DOUBLE STEM.....	20	NATURAL BRISTLE CHIP BRUSH.....	30
SPRING GRADE TEMPERED WIRE		POLYESTER VARNISH BRUSH.....	31
DOUBLE SPIRAL / DOUBLE STEM.....	21	SCRATCH BRUSH.....	31
FLAT TEMPERED STEEL WIRE		REFRIGERATOR COIL CLEANING	
SINGLE SPIRAL / DOUBLE STEM.....	21	SINGLE SPIRAL / SINGLE STEM.....	31
BOILER/FURNACE BRUSH.....	22-24	DUSTING BRUSH - LONG HANDLE.....	31
BOILER BRUSH.....	22-23	FIN WISK BRUSH.....	32
FLAT STYLE COLUMBIA		EXTENSION RODS - CONDENSER BRUSHES.....	32
SINGLE SPIRAL / SINGLE STEM.....	22	EXTENSION RODS - FLUE/BOILER BRUSHES.....	32
LIGHT WEIL MCLAIN		CHIMNEY NOODLE BRUSH.....	33
SINGLE SPIRAL / SINGLE STEM.....	22	CHIMNEY BRUSH - EXTENSION ROD.....	33
CARBON STEEL WEIL MCLAIN		ADAPTORS AND PULL RINGS - CHIMNEY ACCESSORIES.....	33
SINGLE SPIRAL / SINGLE STEM.....	22	Information.....	34
FINE WIRE WEIL MCLAIN			
SINGLE SPIRAL / SINGLE STEM.....	23		
FURNACE/RADIATOR BRUSH.....	23-24		
FURNACE - RADIATOR BRUSH - WIRE FILLED			
SINGLE SPIRAL / SINGLE STEM.....	23		
FURNACE BRUSH			
SINGLE SPIRAL / SINGLE STEM.....	23		
FURNACE BRUSH			
SINGLE SPIRAL / SINGLE STEM.....	24		
DUSTING BRUSH WITH FLARED TIP.....	24		



FITTING BRUSH

FOR CLEANING, SCORING AND PREPARING COPPER FITTINGS AND TUBES

HAND FITTING BRUSH

900 SERIES - PREMIUM STAINLESS STEEL - DOUBLE SPIRAL / DOUBLE STEM

The highest quality fitting brush

Solid plastic hand-fitting handle with convenient hole for hanging

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

OD Refrigeration Size: 1/4" to 2-1/8"

Handle: Solid plastic handle

Filament: Stainless steel

Construction: Double Spiral / Double Stem 

Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00924	1/8"	1/4"	1"	5-3/4"	0.006"	12	0.48
00925	1/4"	3/8"	1-1/4"	6-5/8"	0.006"	12	0.96
00926	3/8"	1/2"	1-1/4"	6-5/8"	0.006"	12	0.96
00927	1/2"	5/8"	1-1/4"	6-5/8"	0.006"	12	0.96
00928	5/8"	3/4"	1-1/4"	6-5/8"	0.006"	12	0.96
00929	3/4"	7/8"	1-1/4"	6-5/8"	0.006"	12	0.96
00930	7/8"	1"	1-1/4"	6-5/8"	0.008"	12	0.96
00931	1"	1-1/8"	1-1/4"	6-5/8"	0.008"	12	0.96
00932	1-1/4"	1-3/8"	1-1/4"	6-5/8"	0.009"	6	0.48
00933	1-3/8"	1-1/2"	1-1/4"	6-5/8"	0.009"	6	0.48
00934	1-1/2"	1-5/8"	1-1/4"	6-5/8"	0.009"	6	0.48
00935	2"	2-1/8"	1-1/4"	6-5/8"	0.009"	6	0.48



800 SERIES - STANDARD STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Solid plastic hand-fitting handle with convenient hole for hanging

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

OD Refrigeration Size: 1/4" to 1-1/4"

Handle: Solid plastic handle

Filament: Stainless steel

Construction: Single Spiral / Single Stem 

Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00824	1/8"	1/4"	1"	5-3/4"	0.006"	12	0.72
00825	1/4"	3/8"	1-1/4"	5-3/4"	0.006"	12	0.96
00826	3/8"	1/2"	1-1/4"	6-1/2"	0.006"	12	0.96
00827	1/2"	5/8"	1-1/4"	6-1/2"	0.006"	12	0.96
00828	5/8"	3/4"	1-1/4"	6-1/2"	0.006"	12	0.96
00829	3/4"	7/8"	1-1/4"	6-1/2"	0.008"	12	0.96
00830	7/8"	1"	1-1/4"	6-1/2"	0.008"	12	0.96
00831	1"	1-1/8"	1-1/4"	6-1/2"	0.008"	12	0.96
00832	1-1/4"	1-3/8"	1-1/4"	6-1/2"	0.008"	6	0.48





700 SERIES - STANDARD STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

OD Refrigeration Size: 1/4" to 1-1/8"

Handle: Wire handle for easy grip

Filament: Stainless steel

Construction: Single Spiral / Single Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00743-12	1/8"	1/4"	1"	6-1/4"	0.006"	12	0.24
00744-12	1/4"	3/8"	1"	6-1/4"	0.006"	12	0.48
00745-12	3/8"	1/2"	1"	6-1/4"	0.006"	12	0.48
00746-12	1/2"	5/8"	1"	6-1/4"	0.006"	12	0.48
00747-12	5/8"	3/4"	1"	6-1/4"	0.006"	12	0.48
00748-12	3/4"	7/8"	1"	6-1/4"	0.008"	12	0.48
00749-12	1"	1-1/8"	1"	6-1/4"	0.008"	12	0.48

AGGRESSIVE LEVEL



POWER FITTING BRUSH

9700 SERIES - HEX SHAFT STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: All tubes where deposits are medium to light

OD Refrigeration Size: 3/8" to 1-1/8"

Fitting: Hex Shaft - Hex locks into all standard and quick lock type chunks for easy change; MSFS 2,000 RPM

Filament: Stainless steel

Construction: Single Spiral / Single Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
09744-12	1/4"	3/8"	1"	2-1/8"	0.006"	12	0.36
09745-12	3/8"	1/2"	1"	2-1/8"	0.006"	12	0.36
09746-12	1/2"	5/8"	1"	2-1/8"	0.006"	12	0.48
09747-12	5/8"	3/4"	1"	2-1/8"	0.006"	12	0.48
09748-12	3/4"	7/8"	1"	2-1/8"	0.008"	12	0.48
09749-12	1"	1-1/8"	1"	2-1/8"	0.008"	12	0.60

AGGRESSIVE LEVEL



8700 SERIES - TWISTED STEM STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: All tubes where deposits are medium to light

OD Refrigeration Size: 1/4" to 1-1/8"

Fitting: Twisted Stem - Power fitting brush with 2-1/2" stem; MSFS 2,000 RPM

Filament: Stainless steel

Construction: Single Spiral / Single Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
08743-12	1/8"	1/4"	1"	3-5/8"	0.006"	12	0.24
08744-12	1/4"	3/8"	1"	3-5/8"	0.006"	12	0.24
08745-12	3/8"	1/2"	1"	3-5/8"	0.006"	12	0.36
08746-12	1/2"	5/8"	1"	3-5/8"	0.006"	12	0.36
08747-12	5/8"	3/4"	1"	3-5/8"	0.006"	12	0.48
08748-12	3/4"	7/8"	1"	3-5/8"	0.008"	12	0.48
08749-12	1"	1-1/8"	1"	3-5/8"	0.008"	12	0.60

AGGRESSIVE LEVEL





TUBE BRUSH

FOR CLEANING CONDENSERS, FLUES AND BOILER TUBES

CONDENSER BRUSH

NYLON - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: All tubes where deposits are light

Brush Diameter: 1/4" to 1"

Fitting: Available with Female or Male thread

Filament: Nylon

Construction: Single Spiral / Single Stem 

FEMALE THREAD

Item #	Brush Diameter	Brush Length	Female Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43702	1/4"	3"	8-32	0.014"	1	0.04
43703	5/16"	3"	8-32	0.014"	1	0.04
43704	3/8"	4"	12-24	0.016"	1	0.08
43707	7/16"	4"	12-24	0.016"	1	0.10
43710	1/2"	4"	12-24	0.018"	1	0.10
43713	9/16"	4"	12-24	0.018"	1	0.10
43716	5/8"	4"	12-24	0.018"	1	0.10
43719	11/16"	4"	12-24	0.020"	1	0.10
43722	3/4"	4"	12-24	0.020"	1	0.10
43725	13/16"	4"	12-24	0.020"	1	0.10
43728	7/8"	4"	12-24	0.022"	1	0.10
43731	15/16"	4"	12-24	0.022"	1	0.10
43733	1"	4"	12-24	0.022"	1	0.10

AGGRESSIVE LEVEL



MALE THREAD

Item #	Brush Diameter	Brush Length	Male Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
93702	1/4"	3"	8-32	0.014"	1	0.04
93703	5/16"	3"	8-32	0.014"	1	0.04
93704	3/8"	4"	8-32	0.016"	1	0.08
93707	7/16"	4"	1/4"-28	0.016"	1	0.10
93710	1/2"	4"	1/4"-28	0.018"	1	0.10
93713	9/16"	4"	1/4"-28	0.018"	1	0.10
93716	5/8"	4"	1/4"-28	0.018"	1	0.10
93719	11/16"	4"	1/4"-28	0.020"	1	0.10
93722	3/4"	4"	1/4"-28	0.020"	1	0.10
93725	13/16"	4"	1/4"-28	0.020"	1	0.10
93728	7/8"	4"	1/4"-28	0.022"	1	0.10
93731	15/16"	4"	1/4"-28	0.022"	1	0.10
93733	1"	4"	1/4"-28	0.022"	1	0.10

AGGRESSIVE LEVEL





BRASS - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Brass or Copper Tubes where deposits are light

Brush Diameter: 1/4" to 1"

Fitting: Available with Female or Male thread

Filament: Brass

Construction: Single Spiral / Double Stem 

FEMALE THREAD

Item #	Brush Diameter	Brush Length	Female Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43602	1/4"	3"	8-32	0.004"	1	0.06
43603	5/16"	3"	8-32	0.004"	1	0.06
43604	3/8"	4"	12-24	0.004"	1	0.10
43607	7/16"	4"	12-24	0.005"	1	0.10
43610	1/2"	4"	12-24	0.006"	1	0.10
43613	9/16"	4"	12-24	0.006"	1	0.14
43616	5/8"	4"	12-24	0.006"	1	0.14
43619	11/16"	4"	12-24	0.006"	1	0.14
43622	3/4"	4"	12-24	0.006"	1	0.14
43628	7/8"	4"	12-24	0.008"	1	0.16
43631	15/16"	4"	12-24	0.008"	1	0.16
43633	1"	4"	12-24	0.008"	1	0.16

AGGRESSIVE LEVEL



MALE THREAD

Item #	Brush Diameter	Brush Length	Male Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
93602	1/4"	3"	8-32	0.004"	1	0.06
93603	5/16"	3"	8-32	0.004"	1	0.06
93604	3/8"	4"	8-32	0.004"	1	0.10
93607	7/16"	4"	1/4"-28	0.005"	1	0.10
93610	1/2"	4"	1/4"-28	0.006"	1	0.10
93613	9/16"	4"	1/4"-28	0.005"	1	0.14
93616	5/8"	4"	1/4"-28	0.005"	1	0.14
93619	11/16"	4"	1/4"-28	0.006"	1	0.14
93622	3/4"	4"	1/4"-28	0.006"	1	0.14
93625	13/16"	4"	1/4"-28	0.006"	1	0.16
93628	7/8"	4"	1/4"-28	0.008"	1	0.16
93631	15/16"	4"	1/4"-28	0.008"	1	0.16
93633	1"	4"	1/4"-28	0.008"	1	0.16

AGGRESSIVE LEVEL



STAINLESS STEEL EXTRA STIFF - DOUBLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Stainless Steel tubes with medium to heavy deposit levels

Brush Diameter: 1/2" to 1-1/8"

Fitting: Combination Male and Female

Filament: Stainless Steel

Construction: Double Spiral / Double Stem 

Item #	Brush Diameter	Brush Length	ID/OD Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43404	1/2"	4"	5/16"-18 - 1/8" NPT	0.006"	1	0.10
43405	5/8"	4"	5/16"-18 - 1/8" NPT	0.009"	1	0.11
43406	3/4"	4"	5/16"-18 - 1/8" NPT	0.009"	1	0.12
43407	7/8"	4"	5/16"-18 - 1/8" NPT	0.009"	1	0.13
43408	1"	4"	5/16"-18 - 1/8" NPT	0.009"	1	0.14
43411	1-1/8"	4"	5/16"-18 - 1/8" NPT	0.009"	1	0.15

AGGRESSIVE LEVEL





TUBE BRUSH

FOR CLEANING CONDENSERS, FLUES AND BOILER TUBES

STAINLESS STEEL - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Stainless steel tubes where deposits are light to medium

Brush Diameter: 1/4" to 1"

Fitting: Available with Female or Male thread

Filament: Stainless Steel

Construction: Single Spiral / Double Stem 

FEMALE THREAD

Item #	Brush Diameter	Brush Length	Female Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43502	1/4"	3"	8-32	0.005"	1	0.02
43503	5/16"	3"	8-32	0.005"	1	0.06
43504	3/8"	4"	12-24	0.005"	1	0.10
43507	7/16"	4"	12-24	0.005"	1	0.10
43510	1/2"	4"	12-24	0.006"	1	0.10
43513	9/16"	4"	12-24	0.006"	1	0.10
43516	5/8"	4"	12-24	0.006"	1	0.14
43519	11/16"	4"	12-24	0.006"	1	0.14
43522	3/4"	4"	12-24	0.006"	1	0.14
43525	13/16"	4"	12-24	0.007"	1	0.14
43528	7/8"	4"	12-24	0.007"	1	0.14
43531	15/16"	4"	12-24	0.009"	1	0.16
43533	1"	4"	12-24	0.009"	1	0.16

AGGRESSIVE LEVEL



MALE THREAD

Item #	Brush Diameter	Brush Length	Male Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
93502	1/4"	3"	8-32	0.005"	1	0.02
93503	5/16"	3"	8-32	0.005"	1	0.06
93504	3/8"	4"	8-32	0.005"	1	0.10
93507	7/16"	4"	1/4"-28	0.005"	1	0.10
93510	1/2"	4"	1/4"-28	0.006"	1	0.10
93513	9/16"	4"	1/4"-28	0.006"	1	0.10
93516	5/8"	4"	1/4"-28	0.006"	1	0.14
93519	11/16"	4"	1/4"-28	0.006"	1	0.14
93522	3/4"	4"	1/4"-28	0.006"	1	0.14
93525	13/16"	4"	1/4"-28	0.007"	1	0.14
93528	7/8"	4"	1/4"-28	0.008"	1	0.14
93531	15/16"	4"	1/4"-28	0.009"	1	0.16
93533	1"	4"	1/4"-28	0.009"	1	0.16

AGGRESSIVE LEVEL





STAINLESS STEEL - DOUBLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Stainless Steel tubes with medium to light deposit

Brush Diameter: 1/4" to 1"

Fitting: Female

Filament: Stainless Steel

Construction: Double Spiral / Double Stem 

Item #	Brush Diameter	Brush Length	Female Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43802	1/4"	3"	8-32	0.005"	1	0.06
43803	5/16"	3"	8-32	0.005"	1	0.06
43804	3/8"	4"	12-24	0.005"	1	0.10
43807	7/16"	4"	12-24	0.005"	1	0.10
43810	1/2"	4"	12-24	0.006"	1	0.10
43813	9/16"	4"	12-24	0.006"	1	0.10
43816	5/8"	4"	12-24	0.006"	1	0.10
43819	11/16"	4"	12-24	0.006"	1	0.14
43822	3/4"	4"	12-24	0.006"	1	0.14
43825	13/16"	4"	12-24	0.008"	1	0.16
43828	7/8"	4"	12-24	0.008"	1	0.16
43831	15/16"	4"	12-24	0.009"	1	0.16
43833	1"	4"	12-24	0.009"	1	0.16

AGGRESSIVE LEVEL



SPIN GRIT - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Aggressive cleaning of brass tubes; overside filament to lay over brush for greater contact with surface for better cleaning

Brush Diameter: 1/2" to 1-1/4"

Fitting: Available with Female or Male thread

Filament: Silicon carbide impregnated nylon 

Construction: Single Spiral / Single Stem

FEMALE THREAD

Item #	Brush Diameter	Tube Size	Brush Length	Female Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43482	1/2"	1/4"-5/16"	3"	8-32	0.024" 320 Grit	1	0.02
43484	3/4"	3/8"-9/16"	3"	12-24	0.024" 320 Grit	1	0.06
43486	1"	5/8"-11/16"	3"	12-24	0.024" 320 Grit	1	0.06
43488	1-1/4"	3/4"-1"	3"	12-24	0.024" 320 Grit	1	0.07

AGGRESSIVE LEVEL



MALE THREAD

Item #	Brush Diameter	Tube Size	Brush Length	Male Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
93482	1/2"	1/4"-5/16"	3"	8-32	0.024" 320 Grit	1	0.02
93484	3/4"	3/8"-9/16"	3"	1/4"-28	0.024" 320 Grit	1	0.06
93486	1"	5/8"-11/16"	3"	1/4"-28	0.024" 320 Grit	1	0.06
93488	1-1/4"	3/4"-1"	3"	1/4"-28	0.024" 320 Grit	1	0.07

AGGRESSIVE LEVEL





TUBE BRUSH

FOR CLEANING CONDENSERS, FLUES AND BOILER TUBES

SPIN CLEAN - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Aggressive cleaning of enhanced condenser tubes; tapered design recommended for cleaning enhanced condenser tubes, long bristles are oversized to bend over for more aggressive cleaning, short bristles are able to reach into groove

ID Tube Diameter: 5/8" to 1"

Fitting: Male

Filament: Silicon carbide impregnated nylon

Construction: Single Spiral / Single Stem



Item #	Brush Diameter	Tube Size	Brush Length	Male Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
93490	5/8" - 1"	5/8"	4"	1/4"-28	0.024" 320 Grit	1	0.02
93491	1/2" - 3/4"	1/2"	4"	1/4"-28	0.024" 320 Grit	1	0.06
93492	3/4" - 1-1/8"	3/4"	4"	1/4"-28	0.024" 320 Grit	1	0.06
93493	1"	1"	4"	1/4"-28	0.024" 320 Grit	1	0.06

AGGRESSIVE LEVEL



FLUE BOILER BRUSH

NYLON - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Flues, boiler tubes, heat exchangers, furnaces and tubes of all types where deposits are light.

Brush Diameter: 1-1/4" to 4"

Fitting: 1/4" Male Pipe Thread

Filament: Nylon

Construction: Single Spiral / Double Stem



Item #	Brush Diameter	Cleans Flue Size	Brush Length	Male Pipe Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43736	1-1/4"	1-1/2"	4-1/2"	1/4"	0.018"	1	0.18
43739	1-1/2"	1-3/4"	4-1/2"	1/4"	0.020"	1	0.24
43742	1-3/4"	2"	4-1/2"	1/4"	0.020"	1	0.24
43745	2"	2-1/4"	4-1/2"	1/4"	0.022"	1	0.26
43748	2-1/4"	2-1/2"	4-1/2"	1/4"	0.025"	1	0.26
43751	2-1/2"	2-3/4"	4-1/2"	1/4"	0.025"	1	0.32
43756	3"	3-1/4"	4-1/2"	1/4"	0.036"	1	0.32
43758	3-1/4"	3-1/2"	4-1/2"	1/4"	0.036"	1	0.34
43760	3-1/2"	3-3/4"	4-1/2"	1/4"	0.036"	1	0.38
43762	3-3/4"	4"	4-1/2"	1/4"	0.036"	1	0.44
43764	4"	4-1/4"	4-1/2"	1/4"	0.036"	1	0.44

AGGRESSIVE LEVEL





BRASS - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Flues, boiler tubes, heat exchangers, furnaces and tubes of all types with light deposit levels.

Brush Diameter: 1-1/4" to 4"

Fitting: 1/4" Male Pipe Thread

Filament: Brass

Construction: Single Spiral / Double Stem



Item #	Brush Diameter	Cleans Flue Size	Brush Length	Male Pipe Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43636	1-1/4"	1-1/2"	4-1/2"	1/4"	0.006"	1	0.30
43639	1-1/2"	1-3/4"	4-1/2"	1/4"	0.006"	1	0.32
43642	1-3/4"	2"	4-1/2"	1/4"	0.006"	1	0.32
43645	2"	2-1/4"	4-1/2"	1/4"	0.008"	1	0.32
43648	2-1/4"	2-1/2"	4-1/2"	1/4"	0.008"	1	0.36
43651	2-1/2"	2-3/4"	4-1/2"	1/4"	0.008"	1	0.40
43653	2-3/4"	3"	4-1/2"	1/4"	0.008"	1	0.42
43656	3"	3-1/4"	4-1/2"	1/4"	0.008"	1	0.44
43658	3-1/4"	3-1/2"	4-1/2"	1/4"	0.008"	1	0.44
43660	3-1/2"	3-3/4"	4-1/2"	1/4"	0.012"	1	0.54
43662	3-3/4"	4"	4-1/2"	1/4"	0.012"	1	0.56
43664	4"	4-1/4"	4-1/2"	1/4"	0.012"	1	0.56

AGGRESSIVE LEVEL



STAINLESS STEEL - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Flues, boiler tubes, heat exchangers, furnaces and tubes of all types with medium deposit levels

Brush Diameter: 1-1/4" to 5"

Fitting: 1/4" Male Pipe Thread

Filament: Stainless Steel

Construction: Single Spiral / Double Stem



Item #	Brush Diameter	Cleans Flue Size	Brush Length	Male Pipe Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43536	1-1/4"	1-1/2"	4-1/2"	1/4"	0.007"	1	0.36
43539	1-1/2"	1-3/4"	4-1/2"	1/4"	0.007"	1	0.38
43542	1-3/4"	2"	4-1/2"	1/4"	0.007"	1	0.4
43545	2"	2-1/4"	4-1/2"	1/4"	0.009"	1	0.42
43548	2-1/4"	2-1/2"	4-1/2"	1/4"	0.009"	1	0.44
43551	2-1/2"	2-3/4"	4-1/2"	1/4"	0.009"	1	0.46
43553	2-3/4"	3"	4-1/2"	1/4"	0.013"	1	0.48
43556	3"	3-1/4"	4-1/2"	1/4"	0.013"	1	0.50
43559	3-1/4"	3-1/2"	4-1/2"	1/4"	0.013"	1	0.52
43562	3-1/2"	3-3/4"	4-1/2"	1/4"	0.013"	1	0.54
43565	3-3/4"	4"	4-1/2"	1/4"	0.016"	1	0.56
43568	4"	4-1/4"	4-1/2"	1/4"	0.016"	1	0.58
43571	4-1/4"	4-1/2"	4-1/2"	1/4"	0.016"	1	0.60
43573	4-1/2"	4-3/4"	4-1/2"	1/4"	0.016"	1	0.62
43576	4-3/4"	5"	4-1/2"	1/4"	0.016"	1	0.64
43579	5"	5-1/4"	4-1/2"	1/4"	0.016"	1	0.66

AGGRESSIVE LEVEL





TUBE BRUSH

FOR CLEANING CONDENSERS, FLUES AND BOILER TUBES

STAINLESS STEEL - DOUBLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Flues, boiler tubes, heat exchangers, furnaces and tubes of all types with medium level deposits.

Brush Diameter: 1-1/4" to 5"

Fitting: 1/4" Male Pipe Thread

Filament: Stainless Steel

Construction: Double Spiral / Double Stem



Item #	Brush Diameter	Cleans Flue Size	Brush Length	Male Pipe Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43836	1-1/4"	1-1/2"	4-1/2"	1/4"	0.009"	1	0.38
43839	1-1/2"	1-3/4"	4-1/2"	1/4"	0.009"	1	0.40
43842	1-3/4"	2"	4-1/2"	1/4"	0.009"	1	0.42
43845	2"	2-1/4"	4-1/2"	1/4"	0.009"	1	0.44
43848	2-1/4"	2-1/2"	4-1/2"	1/4"	0.009"	1	0.46
43851	2-1/2"	2-3/4"	4-1/2"	1/4"	0.009"	1	0.48
43853	2-3/4"	3"	4-1/2"	1/4"	0.013"	1	0.50
43856	3"	3-1/4"	4-1/2"	1/4"	0.013"	1	0.52
43859	3-1/4"	3-1/2"	4-1/2"	1/4"	0.013"	1	0.54
43862	3-1/2"	3-3/4"	4-1/2"	1/4"	0.013"	1	0.56
43865	3-3/4"	4"	4-1/2"	1/4"	0.016"	1	0.58
43868	4"	4-1/4"	4-1/2"	1/4"	0.016"	1	0.60
43871	4-1/4"	4-1/2"	4-1/2"	1/4"	0.016"	1	0.64
43873	4-1/2"	4-3/4"	4-1/2"	1/4"	0.016"	1	0.64
43876	4-3/4"	5"	4-1/2"	1/4"	0.016"	1	0.66
43879	5"	5-1/4"	4-1/2"	1/4"	0.016"	1	0.68

AGGRESSIVE LEVEL



SPRING GRADE TEMPERED WIRE - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Flues, boiler tubes, heat exchangers, furnaces and tubes of all types with medium level deposits.

Brush Diameter: 1-1/4" to 3-1/4"

Fitting: 1/4" Male Pipe Thread

Filament: Spring Grade Tempered Wire

Construction: Single Spiral / Double Stem



Item #	Brush Diameter	Cleans Flue Size	Brush Length	Male Pipe Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43212	1-1/4"	1-1/2"	4-1/2"	1/4"	0.0128"	1	0.32
43214	1-1/2"	1-3/4"	4-1/2"	1/4"	0.0128"	1	0.34
43216	1-3/4"	2"	4-1/2"	1/4"	0.0128"	1	0.36
43218	2"	2-1/4"	4-1/2"	1/4"	0.0128"	1	0.38
43222	2-1/4"	2-1/2"	4-1/2"	1/4"	0.0128"	1	0.4
43224	2-1/2"	2-3/4"	4-1/2"	1/4"	0.0128"	1	0.42
43226	2-3/4"	3"	4-1/2"	1/4"	0.0140"	1	0.44
43228	3"	3-1/4"	4-1/2"	1/4"	0.0140"	1	0.46
43232	3-1/4"	3-1/2"	4-1/2"	1/4"	0.0140"	1	0.48

AGGRESSIVE LEVEL



SPRING GRADE TEMPERED WIRE - DOUBLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Flues, boiler tubes, heat exchangers, furnaces and tubes of all types with medium level deposits.

Brush Diameter: 3/4" to 13"

Fitting: 1/4" Male Pipe Thread

Filament: Spring Grade Tempered Wire

Construction: Double Spiral / Double Stem 

Item #	Brush Diameter	Cleans Flue Size	Brush Length	Male Pipe Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43306	3/4"	1"	4-1/2"	1/4"	0.0118"	1	0.3
43308	1"	1-1/4"	4-1/2"	1/4"	0.0118"	1	0.32
43312	1-1/4"	1-1/2"	4-1/2"	1/4"	0.0128"	1	0.34
43314	1-1/2"	1-3/4"	4-1/2"	1/4"	0.0128"	1	0.36
43316	1-3/4"	2"	4-1/2"	1/4"	0.0128"	1	0.38
43318	2"	2-1/4"	4-1/2"	1/4"	0.0128"	1	0.4
43322	2-1/4"	2-1/2"	4-1/2"	1/4"	0.0128"	1	0.42
43324	2-1/2"	2-3/4"	4-1/2"	1/4"	0.0128"	1	0.44
43326	2-3/4"	3"	4-1/2"	1/4"	0.0140"	1	0.46
43328	3"	3-1/4"	4-1/2"	1/4"	0.0140"	1	0.48
43332	3-1/4"	3-1/2"	4-1/2"	1/4"	0.0140"	1	0.5
43334	3-1/2"	3-3/4"	4-1/2"	1/4"	0.0181"	1	0.52
43336	3-3/4"	4"	4-1/2"	1/4"	0.0181"	1	0.54
43338	4"	4-1/4"	4-1/2"	1/4"	0.0181"	1	0.56
43381	4-1/2"	4-3/4"	4-1/2"	1/4"	0.0181"	1	0.56
43382	5"	5-1/4"	4-1/2"	1/4"	0.0181"	1	0.57
43383	5-1/2"	5-3/4"	4-1/2"	1/4"	0.0181"	1	0.58
43384	6"	6-1/4"	4-1/2"	1/4"	0.0181"	1	0.68
43385	6-1/2"	-----	4-1/2"	1/4"	0.0181"	1	0.8
43386	7"	-----	4-1/2"	1/4"	0.0181"	1	0.85
43388	8"	-----	4-1/2"	1/4"	0.0286"	1	0.88
43389	8.5"	-----	4-1/2"	1/4"	0.0286"	1	0.89
43390	9"	-----	4-1/2"	1/4"	0.0286"	1	0.90
43392	10"	-----	4-1/2"	1/4"	0.0286"	1	1.00
43393	11"	-----	4-1/2"	1/4"	0.0286"	1	1.30
43394	12"	-----	4-1/2"	1/4"	0.0286"	1	1.44
43395	13"	-----	4-1/2"	1/4"	0.0286"	1	1.50

AGGRESSIVE LEVEL



FLAT TEMPERED STEEL WIRE - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: For aggressive cleaning, acts like a scraper and a brush; cleans flues, boiler tubes, heat exchangers, furnaces and tubes of all types.

Brush Diameter: 1-1/4" to 3-3/4"

Fitting: 1/4" Male Pipe Thread

Filament: Flat Tempered Steel Wire

Construction: Single Spiral / Double Stem 

Item #	Brush Diameter	Cleans Flue Size	Brush Length	Male Pipe Thread	Filament Diameter	Pack Size	Pack Weight (LBS)
43012	1-1/4"	1-1/2"	4-1/2"	1/4"	0.031 x 0.069	1	0.30
43014	1-1/2"	1-3/4"	4-1/2"	1/4"	0.031 x 0.069	1	0.32
43016	1-3/4"	2"	4-1/2"	1/4"	0.031 x 0.069	1	0.34
43022	2-1/4"	2-1/2"	4-1/2"	1/4"	0.031 x 0.069	1	0.38
43026	2-3/4"	3"	4-1/2"	1/4"	0.030 x 0.093	1	0.50
43036	3-3/4"	4"	4-1/2"	1/4"	0.030 x 0.093	1	0.62

AGGRESSIVE LEVEL





BOILER/FURNACE BRUSH

FOR CLEANING ASH AND SOOT FROM THE FLUE AND INSIDE OF THE BOILER FIREBOX CHAMBER

BOILER BRUSH

FLAT STYLE COLUMBIA - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning Columbia Boilers

Brush Size: 1/2" x 1"

Overall Length: 27" or 48"

Filament: Spring Grade Tempered Wire

Construction: Single Spiral / Single Stem



Item #	Brush Size	Brush Body Length	Fill Diameter	Overall Length	Pack Size	Pack Weight (LBS)
46302	1/2" x 1"	4-1/2"	0.008"	27"	6	2.80
46304	1/2" x 1"	4-1/2"	0.008"	48"	6	4.80

AGGRESSIVE LEVEL



LIGHT WEIL MCLAIN - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning Weil McLain Boilers

Brush Size: 1-1/2" x 1-1/8"

Overall Length: 30"

Filament: Natural Bristle

Construction: Single Spiral / Single Stem



Item #	Brush Size	Brush Body Length	Handle Diameter	Handle End Type	Overall Length	Pack Size	Pack Weight (LBS)
14467	1-1/2" x 1-1/8"	4"	0.20"	Wood	30"	12	2.98
14477	1-1/2" x 1-1/8"	4"	0.135"	Wire Ring	30"	12	1.60

AGGRESSIVE LEVEL



CARBON STEEL - WEIL MCLAIN - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning Weil McLain Boilers

Brush Size: 1-1/2" x 1-1/8"

Overall Length: 30" or 46"

Filament: Crimped Carbon Steel

Construction: Single Spiral / Single Stem



Item #	Brush Size	Brush Body Length	Fill Diameter	Handle Diameter	Handle End Type	Overall Length	Pack Size	Pack Weight (LBS)
14465	1-1/2" x 1-1/8"	4"	0.006"	0.20"	Wire Ring	30"	6	2.23
14466	1-1/2" x 1-1/8"	4"	0.006"	0.25"	Wire Ring	30"	6	2.27
14468	1-1/2" x 1-1/8"	4"	0.006"	0.25"	Wire Ring	46"	6	3.13
14476	1-1/2" x 1-1/8"	4"	0.006"	0.135"	Wire Ring	30"	6	2.00

AGGRESSIVE LEVEL





FINE WIRE WEIL MCLAIN - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning Weil McLain boilers

Brush Size: 1-1/2" x 1-1/8"

Overall Length: 30" or 42"

Filament: Straight Fine Wire

Construction: Single Spiral / Single Stem



Item #	Brush Size	Brush Body Length	Fill Diameter	Stem Handle Diameter	Handle End Type	Overall Length	Pack Size	Pack Weight (LBS)
14461	1-1/2" x 1-1/8"	2-3/4"	0.006"	0.25"	Wire Ring	30"	12	4.42
14462	1-1/2" x 1-1/8"	2-3/4"	0.006"	0.25"	Wire Ring	42"	12	4.28

AGGRESSIVE LEVEL



FURNACE/RADIATOR BRUSH

FURNACE - RADIATOR BRUSH - WIRE FILLED - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Radiators and furnaces

Brush Diameter: 1/2" to 3"

Overall Length: 42"

Filament: Tempered Wire or Stainless Steel

Construction: Single Spiral / Single Stem



Item #	Fill Type	Brush Diameter	Brush Body Length	Fill Diameter	Stem Handle Diameter	Overall Length	Pack Size	Pack Weight (LBS)
76252	Stainless Steel	1/2"	4"	0.006"	0.19"	42"	12	5.40
76253	Stainless Steel	3/4"	4"	0.007"	0.19"	42"	12	5.50
76254	Stainless Steel	1"	4"	0.007"	0.25"	42"	12	6.00
76255	Stainless Steel	1-1/2"	4"	0.008"	0.25"	42"	12	6.50
76256	Black Temp Wire	2"	4"	0.0128"	0.25"	42"	12	6.70
76257	Black Temp Wire	2-1/2"	4"	0.0128"	0.25"	42"	12	6.90
76258	Black Temp Wire	3"	4"	0.014"	0.25"	42"	12	7.50



FURNACE BRUSH - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Radiators and furnaces

Brush Diameter: 2-1/8"

Overall Length: 48"

Filament: Crimped Brass or Stainless Steel

Construction: Single Spiral / Single Stem



Item #	Fill Type	Brush Diameter	Brush Body Length	Fill Diameter	Stem Handle Diameter	Overall Length	Pack Size	Pack Weight (LBS)
76200	Crimped Brass	2-1/8"	7"	0.008"	0.23"	48"	6	4.70
76210	Stainless Steel	2-1/8"	7"	0.009"	0.23"	48"	6	4.70





BOILER/FURNACE BRUSH

FOR CLEANING ASH AND SOOT FROM THE FLUE AND INSIDE OF THE BOILER FIREBOX CHAMBER

FURNACE BRUSH - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Furnaces, heaters and radiators

Brush Diameter: 2" to 3"

Overall Length: 27", 42" or 48"

Filament: Horsehair, Horsehair/Poly Blend, Crimped Brass, Stainless Steel, Fiber/Hair Blend, Fiber, or Tampico

Construction: Single Spiral / Single Stem 

Item #	Fill Material	Brush Diameter	Brush Body Length	Fill Diameter	Stem Handle Diameter	Overall Length	Pack Size	Pack Weight (LBS)
76221	Horsehair	2"	7"	-----	0.19"	27"	12	4.00
76324	Horsehair	2-1/2"	7"	-----	0.19"	27"	12	4.00
76524	Horsehair / Poly Mix	2-1/2"	7"	-----	0.19"	27"	12	4.00
76242	Fiber / Hair	2"	6"	-----	0.23"	27"	12	4.00
76243	Fiber / Hair	3"	6"	-----	0.23"	27"	12	4.80
76245	Fiber / Hair	2"	6"	-----	0.23"	42"	12	5.40
76246	Fiber / Hair	3"	6"	-----	0.23"	42"	12	7.60
76232	Fiber	2"	6"	-----	0.23"	27"	12	4.00
76233	Fiber	3"	6"	-----	0.23"	27"	12	4.80
76235	Fiber	2"	6"	-----	0.23"	42"	12	5.40
76236	Fiber	3"	6"	-----	0.23"	42"	12	7.60
76200	Crimped Brass	2-1/8"	7"	0.008"	0.23"	48"	6	4.70
76210	Stainless Steel	2-1/8"	7"	0.008"	0.23"	48"	6	4.70
76220	Grey Tampico	2-1/8"	7"	-----	0.23"	48"	6	4.70



DUSTING BRUSH WITH FLARED TIP

Recommended Cleaning: Dusting debris off heat exchangers, boilers, furnaces, heaters, and radiators

Brush Body Length: 10"

Overall Length: 24"

Filament: Horsehair

Handle: Plastic

Item #	Fill Material	Brush Body Length	Fill Trim	Overall Length	Pack Size	Pack Weight (LBS)
76026	Horsehair	10"	2-1/4"	24"	12	4.40



PELLET STOVE BRUSH

POLYPROPYLENE - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Light deposit chimneys; clean 4" round pellet stove pipes

Brush Diameter: 3"-4"

Fitting: Male

Material: Polypropylene

Construction: Single Spiral / Single Stem



Item #	Brush Size	Ball Tip	Filament Diameter	Thread Size	Pack Size	Pack Weight (LBS)
361281	4"	Yes	0.025"	5/16" - 18	4	3.00
361241	4"	None	0.025"	1/4"	4	2.90
36133	3"	None	0.020"	1/4"	1	.14
36134	4"	None	0.025"	1/4"	1	.18



NYLON - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: All chimneys where deposits are light; heavy-duty polystyrene ball tip guides brush through offsets and bends

Brush Diameter: 3" to 4"

Fitting: Male

Material: Nylon

Construction: Single Spiral / Single Stem



Item #	Brush Size	Filament Diameter	Thread Size	Pack Size	Pack Weight (LBS)
361461	3"	0.32"	1/4" - 20	4	1.50
361471	4"	0.32"	1/4" - 20	4	1.50



PRO-CLEAN HOME CHIMNEY BRUSH

PRO-CLEAN HOME - ROUND - OIL TEMPERED WIRE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Home chimneys with light deposits; good for homeowners and do-it-yourselfers

Diameter: 5" to 10"

Fitting: 1/4" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Single Spiral / Double Stem



Item #	Diameter	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
36405	5"	6"	0.0286"	0.345"	1/4" Male	1	1.70
36406	6"	6"	0.0286"	0.345"	1/4" Male	1	1.70
36408	8"	6"	0.0286"	0.345"	1/4" Male	1	1.90
36410	10"	6"	0.0286"	0.345"	1/4" Male	1	2.30





CHIMNEY BRUSH

FOR THOROUGH CLEANING TO HELP PREVENT DANGEROUS CHIMNEY FIRES

PRO-CLEAN HOME - SQUARE - OIL TEMPERED WIRE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Home chimneys where deposits are light; good for homeowners and do-it-yourselfers

Brush Size: 7" x 7"

Fitting: 1/4" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Single Spiral / Double Stem



Item #	Brush Size	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
36507	7" x 7"	6"	0.0286"	0.345"	1/4" Male	1	1.70



PRO-CLEAN HOME - RECTANGLE - OIL TEMPERED WIRE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Home chimneys where deposits are light; good for homeowners and do-it-yourselfers

Brush Size: 7" x 11"

Fitting: 1/4" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Single Spiral / Double Stem



Item #	Brush Size	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
36532	7" x 11"	6"	0.0286"	0.345"	1/4" Male	1	2.30



PRO-CLEAN HOME - ROUND - POLYPROPYLENE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Home chimneys where deposits are light; recommended for homeowners, use in insulated metal chimneys, stainless steel or metal stove pipes to avoid scratching flue

Diameter: 6" to 8"

Fitting: 1/4" Male Pipe Thread


Material: Polypropylene

Construction: Single Spiral / Double Stem



Item #	Diameter	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
36166	6"	6"	0.75"	0.345"	1/4" Male	1	1.125
36176	7"	6"	0.75"	0.345"	1/4" Male	1	1.15
36186	8"	6"	0.75"	0.345"	1/4" Male	1	1.175





PRO-SWEEP CHIMNEY BRUSH

PRO-SWEEP MEDIUM DUTY - ROUND - OIL TEMPERED WIRE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Designed for professional chimney sweepers for medium to light deposits; withstand normal demands of professional chimney sweepers

Diameter: 6" to 8"

Fitting: 3/8" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Single Spiral / Double Stem



Item #	Diameter	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
34406	6"	7"	0.0286"	0.405"	3/8" Male	1	1.83
34408	8"	7"	0.0286"	0.405"	3/8" Male	1	2.17



PRO-SWEEP MEDIUM DUTY - ROUND - POLYPROPYLENE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Designed for professional chimney sweepers for medium to light deposits; recommended for homeowners, use in insulated metal chimneys, stainless steel or metal stove pipes to avoid scratching flue

Diameter: 5" to 10"

Fitting: 3/8" Male Pipe Thread

Material: Polypropylene

Construction: Single Spiral / Double Stem



Item #	Diameter	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
34605	5"	7"	0.50"	0.405"	3/8" Male	1	1.20
34606	6"	7"	0.50"	0.405"	3/8" Male	1	1.30
34608	8"	7"	0.50"	0.405"	3/8" Male	1	1.50
34610	10"	7"	0.50"	0.405"	3/8" Male	1	1.70



PRO-SWEEP HEAVY DUTY - ROUND - OIL TEMPERED WIRE DOUBLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Heavy-duty projects for professional sweepers; recommended for homeowners

Diameter: 5" to 12"

Fitting: 3/8" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Double Spiral / Double Stem



Item #	Diameter	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
33056	5"	7"	0.0286"	0.405"	3/8" Male	1	1.80
33066	6"	7"	0.0286"	0.405"	3/8" Male	1	1.90
33076	7"	7"	0.0286"	0.405"	3/8" Male	1	2.00
33086	8"	7"	0.0286"	0.405"	3/8" Male	1	2.10
33106	10"	7"	0.0286"	0.405"	3/8" Male	1	2.60
33126	12"	7"	0.0286"	0.405"	3/8" Male	1	2.80





PRO-SWEEP HEAVY DUTY - SQUARE - OIL TEMPERED WIRE DOUBLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Damaging conditions seen by professional sweepers

Brush Size: 6" x 6" to 12" x 12"

Fitting: 3/8" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Double Spiral / Double Stem



Item #	Brush Size	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
33266	6" x 6"	7"	0.0286"	0.405"	3/8" Male	1	2.00
33277	7" x 7"	7"	0.0286"	0.405"	3/8" Male	1	2.10
33388	8" x 8"	7"	0.0286"	0.405"	3/8" Male	1	2.40
33310	10" x 10"	7"	0.0286"	0.405"	3/8" Male	1	2.80
33312	12" x 12"	7"	0.0286"	0.405"	3/8" Male	1	3.10



PRO-SWEEP HEAVY DUTY - RECTANGULAR - OIL TEMPERED WIRE DOUBLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Heavy-duty projects for professional sweepers; recommended for homeowners

Brush Size: 6" x 10" to 12" x 16"

Fitting: 3/8" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Double Spiral / Double Stem



Item #	Brush Size	Brush Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
33410	6" x 10"	7"	0.0286"	0.405"	3/8" Male	1	2.60
33411	7" x 11"	7"	0.0286"	0.405"	3/8" Male	1	2.65
33412	8" x 12"	7"	0.0286"	0.405"	3/8" Male	1	2.70
33413	9" x 13"	7"	0.0286"	0.405"	3/8" Male	1	2.75
33415	11" x 15"	7"	0.0286"	0.405"	3/8" Male	1	2.80
33416	12" x 16"	7"	0.0286"	0.405"	3/8" Male	1	2.85



PRO-SWEEP HEAVY DUTY - ROUND - POLYPROPYLENE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Flues that burn coal, oils or gas where acids deteriorate steel bristles; use in insulated metal chimneys, stainless steel or metal stove pipes to avoid scratching flue

Diameter: 5" to 12"

Fitting: 3/8" Male Pipe Thread

Material: Polypropylene

Construction: Single Spiral / Double Stem



Item #	Diameter	Brush Body Length	Filament Diameter	Spindle Diameter	Pipe Thread	Pack Size	Pack Weight (LBS)
34805	5"	7"	0.75"	0.405"	3/8" Male	1	1.03
34806	6"	7"	0.75"	0.405"	3/8" Male	1	1.05
34807	7"	7"	0.75"	0.405"	3/8" Male	1	1.06
34808	8"	7"	0.75"	0.405"	3/8" Male	1	1.08
34809	9"	7"	0.75"	0.405"	3/8" Male	1	1.68
34810	10"	7"	0.75"	0.405"	3/8" Male	1	1.73
34812	12"	7"	0.75"	0.405"	3/8" Male	1	1.80



PRO-SWEEP FLAT STEEL WIRE - ROUND - SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Designed for professionals to clean from top to bottom of chimney; filament designed to spring back to original shape if pushed past damper

Diameter: 6" to 8"

Fitting: 3/8" Male Pipe Thread

Material: Heavy-Duty Tempered Flat Steel Wire

Construction: Single Spiral / Double Stem



Item #	Diameter	Brush Body Length	Spindle Diameter	Pipe Thread	Tip	Pack Size	Pack Weight (LBS)
33606	6"	4"	0.405"	3/8" Male	3/4" Loop	1	1.92
33608	8"	4"	0.405"	3/8" Male	3/4" Loop	1	2.47



PRO-SWEEP FLAT WIRE - SQUARE - OIL TEMPERED WIRE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Designed for professionals to clean from top to bottom of chimney

Brush Size: 7" x 7" to 12" x 12"

Fitting: 3/8" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Single Spiral / Double Stem



Item #	Brush Size	Brush Body Length	Spindle Diameter	Pipe Thread	Tip	Pack Size	Pack Weight (LBS)
33627	7" x 7"	4"	0.405"	3/8" Male	3/4" Loop	1	2.33
33628	8" x 8"	4"	0.405"	3/8" Male	3/4" Loop	1	2.68
33632	12" x 12"	4"	0.405"	3/8" Male	3/4" Loop	1	3.90



PRO-SWEEP FLAT WIRE - RECTANGLE - OIL TEMPERED WIRE SINGLE SPIRAL / DOUBLE STEM

Recommended Cleaning: Designed for professionals to clean from top to bottom of chimney

Brush Size: 7" x 11" to 12" x 16"

Fitting: 3/8" Male Pipe Thread

Material: Oil Tempered Wire

Construction: Single Spiral / Double Stem



Item #	Brush Size	Brush Body Length	Spindle Diameter	Pipe Thread	Tip	Pack Size	Pack Weight (LBS)
33647	7" x 11"	4"	0.405"	3/8" Male	3/4" Loop	1	2.97
33648	8" x 12"	4"	0.405"	3/8" Male	3/4" Loop	1	3.05
33652	12" x 16"	4"	0.405"	3/8" Male	3/4" Loop	1	4.5





HVAC / REFRIGERATION BRUSHES

OUTSIDE TUBE BRUSH STAINLESS STEEL

Recommended For: Cleaning light deposits outside of tube

OD Refrigeration Size: 5/8" to 7/8"

Construction: Stainless Steel Brush Fill; tough molded plastic holder with comfortable sure grip design

Item #	Cleans HVAC OD Size	Block Diameter	Filament Diameter	Pack Size	Pack Weight (LBS)
00966-6	5/8"	1-1/2"	0.0125"	6	0.24
00967-6	3/4"	1-7/8"	0.014"	6	0.48
00968-6	7/8"	1-7/8"	0.014"	6	0.48

AGGRESSIVE LEVEL



ACID BRUSH

Recommended For: Applying oil based solvents, glue, paint, and lubricants

Brush Width: 3/8" to 5/8"

Filament: Horsehair

Handle: Tin

Item #	Description	Fill Type	Brush Width	Overall Length	Pack Size	Pack Weight (LBS)
10001	#1	Horsehair	3/8"	6"	144	2.14
10002	#2	Horsehair	1/2"	6"	144	2.64
10003	#3	Horsehair	5/8"	6"	144	3.30



DOPE BRUSH

Recommended For: Applying oil based solvents, glue, paint, and lubricants

Brush Width: 3/4"

Filament: Horsehair

Handle: Wood

Item #	Description	Fill Type	Brush Width	Overall Length	Pack Size	Pack Weight (LBS)
10007	#7	Horsehair	3/4"	7"	36	1.34



NATURAL BRISTLE CHIP BRUSH

Recommended For: Applying flux to copper pipes or mastics to ducts

Brush Width: 1" to 3"

Filament: White Natural Bristle

Handle: Wood - Plain Sanded

Item #	Brush Width	Brush Trim	Brush Thickness	Overall Length	Pack Size	Pack Weight (LBS)
67192	1"	1-1/2"	5/16"	7-1/4"	36	1.44
67193	1-1/2"	1-1/2"	5/16"	7-1/2"	36	1.44
67194	2"	1-1/2"	5/16"	8"	24	1.44
67195	2-1/2"	1-1/2"	3/8"	8"	24	2.40
67196	3"	1-1/2"	3/8"	8"	24	2.40





POLYESTER VARNISH BRUSH

Recommended For: Applying flux to copper pipes or mastics to ducts

Brush Width: 2" to 3"

Filament: Polyester Bristle

Handle: Plastic

Item #	Brush Width	Brush Trim	Brush Thickness	Overall Length	Pack Size	Pack Weight (LBS)
67243	2"	1-3/4"	5/16"	7-3/4"	24	1.70
67244	2-1/2"	1-3/4"	3/8"	8"	12	1.25
67245	3"	1-1/2"	3/8"	8"	12	2.40



SCRATCH BRUSH

Recommended Use: General cleaning and surface preparation

Filament: Nylon, Brass or Stainless Steel

Handle: Wood or Plastic

Item #	Fill Type	Filament Diameter	Handle Type	Fill Trim Height	Length x Width Brush Part	Row Fill	Overall Length	Pack Size	Pack Weight (LBS)
25407	Nylon	0.015"	Plastic	1/2"	1-1/2" x 3/8"	3 x 7	7-1/4"	36	1.50
81003	Brass	0.015"	Wood	1/2"	1-1/2" x 3/8"	3 x 7	8"	36	1.70
25302	Brass	0.006"	Wood	5/8"	2-7/8" x 3/8"	2 x 9	8-5/8"	36	1.50
25405	Brass	0.005"	Plastic	1/2"	1-1/2" x 3/8"	3 x 7	7-1/4"	36	1.50
81002	Stainless Steel	0.005"	Wood	1/2"	1-1/2" x 3/8"	3 x 7	8"	36	1.70
25301	Stainless Steel	0.005"	Wood	5/8"	2-7/8" x 3/8"	2 x 9	8-5/8"	36	1.50
25404	Stainless Steel	0.005"	Plastic	1/2"	1-1/2" x 3/8"	3 x 7	7-1/4"	36	1.50
25406	Bronze	0.006"	Plastic	1/2"	7-1/4" x 7/16"	3 x 7	7"	36	1.50



REFRIGERATOR COIL CLEANING - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Refrigerator coils, fan blades, and areas under and behind appliances

Filament: Various Types and Sizes

Handle: Wood or Wire with Wood Grip

Construction: Single Spiral / Single Stem



Item #	Handle Type	Diameter	Brush Length	Stem Diameter	Overall Length	Pack Size	Pack Weight (LBS)
00402	Wire with Wood Grip	2"	6"	0.200"	24"	36	1.70
00405	Wood	3/4" tapered to 1-1/2"	12"	0.200"	28"	36	1.70
00408	Wire with Wood Grip	3/4" tapered to 1-1/2"	12"	0.200"	7-1/4"	36	1.50



DUSTING BRUSH - LONG HANDLE

Recommended Cleaning: Dusting particles and residue from flat surfaces

Overall Length: 24"

Filament: Horsehair

Handle: Plastic

Item #	Fill Material	Fill Trim Height	Row Fill	Overall Length	Length x Width Brush Part	Pack Size	Pack Weight (LBS)
76026	Horsehair	2-1/4"	1 x 26	24"	10" x 1/4"	12	4.4





FIN WISK BRUSH

Recommended For: Cleaning condenser fins and evaporators

Overall Length: 6-1/2"

Filament: Poly

Handle: Plastic

Item #	Fill Material	Fill Trim Height	Length x Width Brush Part	Row Fill	Overall Length	Pack Size	Pack Weight (LBS)
02026	Poly	2-1/8"	3 x 1/4"	1 x 8	6-1/2"	24	1.35




EXTENSION RODS - CONDENSER BRUSHES

Recommended For: Extension rods for condenser tube brushes

Length: 2' to 4'

Material: Steel or Aluminum

Item #	Material	Diameter	Connector Size	Overall Length	Pack Weight (LBS)
13042	Steel	0.162"	8 - 32 Male / Female	2'	0.14
13044	Steel	0.162"	8 - 32 Male / Female	4'	0.52
13002	Aluminum	0.313"	12 - 24 Male / Female	2'	0.17
13003	Aluminum	0.313"	12 - 24 Male / Female	3'	0.25
13010	Steel	0.250"	14 - 28 Male / Female	3"	0.54
13041	Aluminum T-Handle	0.16"	8-32 Male	3"	0.14
13001	Aluminum T-Handle	3/8"	12-24 Male	3-3/4"	0.07
13000	Aluminum T-Handle	3/8"	14-28 Female	3-3/4"	0.07



13042 & 13044



13002 & 13010



13041, 13001 & 13000

EXTENSION RODS - FLUE/BOILER BRUSHES

Recommended For: Extension pole for Flue/Boiler Brushes

Length: 2" to 6'

Material: Fiberglass and Galvanized Steel

Item #	Extension Rods	Diameter	Thread	Overall Length	Pack Size	Pack Weight (LBS)
30624	Fiberglass	0.350"	1/4" Male / Female Pipe Thread	4'	24	12.0
30663	Fiberglass	0.350"	1/4" Male/ Female Pipe End	3'	25	11.0
30666	Fiberglass	0.350"	1/4" Male / Female Pipe Thread	6'	24	16.0
36048	Fiberglass	0.440"	3/8" Female & 3/8" Male	4'	25	20.0
36060	Fiberglass	0.440"	3/8" Female & 3/8" Male	5'	25	23.0
36112	Nylon	0.3125"	5/16" 18 Male/ Female	4'	6	2.00
36118	PVC	0.250"	1/4" 20 Male/ Female	5'	20	4.90
36072	Fiberglass	0.440"	3/8" Male / Female Pipe Thread	6'	25	27.0
31438	Twisted Galvanized Steel Wire	0.305"	1/4" Male/ Female Pipe End	4'	25	18.0
31458	Twisted Galvanized Steel Wire	0.305"	1/4" Male/ Female Pipe End	6'	-----	27.0
30599	T-Handle	-----	1/4" Female Pipe Thread	6' 3/8"	-----	0.83
30600	T-Handle	-----	1/4" Female Pipe Thread	6' 1/2"	-----	1.20
36350	Pull Ring Loop	-----	1/4" Female Pipe Thread	2"	-----	0.27
36351	Pull Ring Loop	-----	3/8" Female Pipe Thread	2"	-----	0.28
36352	Thread Adapter	-----	1/4" Female Pipe Thread to 3/8" Female Pipe Thread	2"	-----	0.06



30624, 36072, 30663, 36060



31438 & 31458



30599, 36350 & 36352

CHIMNEY NOODLE BRUSH

Recommended Use: Cleaning hard to reach places, flexible construction allows shaft to bend for better maneuverability

Brush Diameter: 2-1/4"

Brush Overall Length: 17"

Filament: Tampico

Item #	Diameter	Body Length	Overall Length	Pack Size	Pack Weight (LBS)
76250 I	2-1/4"	10"	17"	12	3.40



CHIMNEY BRUSH - EXTENSION ROD

Recommended Use: Extension rods for additional reach, recommended for sure with Schaefer Brush Chimney brushes; connect multiple rods for desired length

Overall Length: 3' to 6'

Material: Fiberglass, Heavy-Duty Fiberglass, Nylon, PVC

Item #	Extension Rods	Rod Diameter	Pipe Thread	Overall Length	Pack Size	Pack Weight (LBS)
30663	Fiberglass	0.350"	1/4" Female & 1/4" Male	3'	25	11.0
30624	Fiberglass	0.350"	1/4" Female & 1/4" Male	4'	24	12.0
30666	Fiberglass	0.350"	1/4" Female & 1/4" Male	6'	24	16.0
36048	Heavy-Duty Fiberglass	0.440"	3/8" Female & 3/8" Male	4'	25	20.0
36060	Heavy-Duty Fiberglass	0.440"	3/8" Female & 3/8" Male	5'	25	23.0
36072	Heavy-Duty Fiberglass	0.440"	3/8" Female & 3/8" Male	6'	25	27.0
36112	Nylon	0.3125"	5/16"-18 Male/ Female	4'	6	2.0
36118	PVC	0.250"	1/4" - 20 Male/ Female	5'	20	4.0



Fiberglass



Nylon

ADAPTORS AND PULL RINGS - CHIMNEY ACCESSORIES

Recommended Use: Pull Ring attaches to brush providing means for a rope to be used to pull brush through the chimney;

Adaptor available for Pipe Thread Fix 1/4" to 3/8"

Item #	Type	Description	Overall Length	Pack Size	Pack Weight (LBS)
36350	Pull Ring	Loop to 1/4"	1-3/4"	12	0.27
36351	Heavy Duty Pull Ring	Loop to 3/8"	1-3/4"	12	0.28
36352	Adaptor	1/4" to 3/8"	1-1/2"	12	0.06



36350



36352

TWISTED-IN-WIRE BRUSHES

HOW IT'S MADE

Twisted-in-Wire brushes are made by placing filament material between stem wire and twisting it to produce a spiral shape brush. The construction of the brush paired with a particular filament is the key to the versatility of this brush type. Commonly used for cleaning, polishing, removal of burrs and other surface preparation, they are designed to meet a variety of application and abrasion requirements.

Twisted-in-Wire brushes are categorized into three different configurations and include a broad range of filament, tip and end options.




Single Spiral / Single Stem

Brush fill is twisted between two stem wires with a single wire on each side.



Single Spiral / Double Stem

Brush fill is twisted between four stem wires with two wires on each side.



Double Spiral / Double Stem

Brush fill is twisted between four stem wires with two layers of fill. Each layer is perpendicular to the other with a single stem wire in each quadrant.



Twisted End



Vinyl Tip



Blunt End



Turned Tuft

Brush Filament Types

Nylon
Polypropylene
Brass
Stainless Steel
Carbonized Steel
Custom

End Handle Types

Pipe Nipple
Wood Handle
Plastic Handle
Straight Stem

Tip Types

Twisted End
Vinyl Tip
Blunt End
Turned Tuft
Tied Tuft

CUSTOM OPTIONS

Looking for a custom brush for your unique application, but not quite sure where to start? We do. Let's talk.

With more than 100 years of experience in brush manufacturing, we have the engineering skills and manufacturing capacity to create custom brushes for any application. We can consult with you on your needs, then design and manufacture the appropriate brush, or we can manufacture based on your design.

Custom brushes can be designed with aluminum, steel or stainless steel cores, and with any filament type.

Filament types include nylon, polypropylene, polyester, tampico, horse hair, brass, phosphorous bronze, stainless steel, carbon steel and, for metal-back strip brushes, silicon carbide and aluminum oxide.

For more information on custom options, contact Schaefer Brush at **800-347-3501** or visit **schaeferbrush.com**.

Need larger quantities? We can do that.

We offer bulk ordering and bulk packaging is available. For more information on large-quantity ordering, contact Schaefer Brush at **800-347-3501** or visit **schaeferbrush.com**.



BRUSHES FOR: **PLUMBING**

Copper fitting and plumbing tools and accessories, including Stainless Steel and Carbon filament fitting brushes to clean and deburr fittings and tubing in a variety of plumbing applications.



FITTING BRUSH	38-41
HAND-FITTING BRUSH	38-39
900 SERIES - PREMIUM STAINLESS STEEL DOUBLE SPIRAL / DOUBLE STEM.....	38
800 SERIES - STANDARD STAINLESS STEEL SINGLE SPIRAL / SINGLE STEM.....	38
700 SERIES - STANDARD STAINLESS STEEL SINGLE SPIRAL / SINGLE STEM.....	38
600 SERIES - STANDARD CARBON STEEL SINGLE SPIRAL / SINGLE STEM.....	39
500 SERIES - STANDARD CARBON STEEL SINGLE SPIRAL / SINGLE STEM.....	39
POWER FITTING BRUSH	40-41
9700 SERIES - HEX SHAFT STAINLESS STEEL SINGLE SPIRAL / SINGLE STEM.....	40
9500 SERIES - HEX SHAFT CARBON STEEL SINGLE SPIRAL / SINGLE STEM.....	40
8700 SERIES - TWISTED STEM STAINLESS STEEL SINGLE SPIRAL / SINGLE STEM.....	41
8500 SERIES - TWISTED STEM CARBON STEEL SINGLE SPIRAL / SINGLE STEM.....	41
PLUMBING ACCESSORIES	42-43
PLUMBING BRUSHES	42-43
OUTSIDE TUBE BRUSH STAINLESS STEEL.....	42
4-IN-1 TOOL.....	42
ACID BRUSH.....	42
DOPE BRUSH.....	43
NATURAL BRISTLE CHIP BRUSH.....	43
SCRATCH BRUSH.....	43
DUSTING BRUSH - LONG HANDLE.....	43
Information	44



FITTING BRUSH

FOR CLEANING, SCORING AND PREPARING COPPER FITTINGS AND PIPES

HAND FITTING BRUSH

900 SERIES - PREMIUM STAINLESS STEEL - DOUBLE SPIRAL / DOUBLE STEM

The highest quality fitting brush

Solid plastic hand-fitting handle with convenient hole for hanging

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

ID Plumbing Size: 1/8" to 2"

Handle: Solid plastic handle

Filament: Stainless steel

Construction: Double Spiral / Double Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00924	1/8"	1/4"	1"	5-3/4"	0.006"	12	0.48
00925	1/4"	3/8"	1-1/4"	6-5/8"	0.006"	12	0.96
00926	3/8"	1/2"	1-1/4"	6-5/8"	0.006"	12	0.96
00927	1/2"	5/8"	1-1/4"	6-5/8"	0.006"	12	0.96
00928	5/8"	3/4"	1-1/4"	6-5/8"	0.006"	12	0.96
00929	3/4"	7/8"	1-1/4"	6-5/8"	0.006"	12	0.96
00930	7/8"	1"	1-1/4"	6-5/8"	0.008"	12	0.96
00931	1"	1-1/8"	1-1/4"	6-5/8"	0.008"	12	0.96
00932	1-1/4"	1-3/8"	1-1/4"	6-5/8"	0.009"	6	0.48
00933	1-3/8"	1-1/2"	1-1/4"	6-5/8"	0.009"	6	0.48
00934	1-1/2"	1-5/8"	1-1/4"	6-5/8"	0.009"	6	0.48
00935	2"	2-1/8"	1-1/4"	6-5/8"	0.009"	6	0.48



800 SERIES - STANDARD STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Solid plastic hand-fitting handle with convenient hole for hanging

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

ID Plumbing Size: 1/8" to 1-1/4"

Handle: Solid plastic handle

Filament: Stainless steel

Construction: Single Spiral / Single Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00824	1/8"	1/4"	1"	5-3/4"	0.006"	12	0.72
00825	1/4"	3/8"	1-1/4"	5-3/4"	0.006"	12	0.96
00826	3/8"	1/2"	1-1/4"	6-1/2"	0.006"	12	0.96
00827	1/2"	5/8"	1-1/4"	6-1/2"	0.006"	12	0.96
00828	5/8"	3/4"	1-1/4"	6-1/2"	0.006"	12	0.96
00829	3/4"	7/8"	1-1/4"	6-1/2"	0.008"	12	0.96
00830	7/8"	1"	1-1/4"	6-1/2"	0.008"	12	0.96
00831	1"	1-1/8"	1-1/4"	6-1/2"	0.008"	12	0.96
00832	1-1/4"	1-3/8"	1-1/4"	6-1/2"	0.008"	6	0.48





700 SERIES - STANDARD STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

ID Plumbing Size: 1/8" to 1"

Handle: Wire handle for easy grip

Filament: Stainless steel

Construction: Single Spiral / Single Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00743-12	1/8"	1/4"	1"	6-1/4"	0.006"	12	0.24
00744-12	1/4"	3/8"	1"	6-1/4"	0.006"	12	0.48
00745-12	3/8"	1/2"	1"	6-1/4"	0.006"	12	0.48
00746-12	1/2"	5/8"	1"	6-1/4"	0.006"	12	0.48
00747-12	5/8"	3/4"	1"	6-1/4"	0.006"	12	0.48
00748-12	3/4"	7/8"	1"	6-1/4"	0.008"	12	0.48
00749-12	1"	1-1/8"	1"	6-1/4"	0.008"	12	0.48

AGGRESSIVE LEVEL



600 SERIES - STANDARD CARBON STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

ID Plumbing Size: 1/8" to 2"

Handle: Wire handle for easy grip

Filament: Carbon steel

Construction: Single Spiral / Single Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00643-12	1/8"	1/4"	1"	5-3/4"	0.006"	12	0.72
00644-12	1/4"	3/8"	1"	5-3/4"	0.006"	12	0.96
00645-12	3/8"	1/2"	1"	6-1/2"	0.006"	12	0.96
00646-12	1/2"	5/8"	1"	6-1/2"	0.007"	12	0.96
00647-12	5/8"	3/4"	1"	6-1/2"	0.007"	12	0.96
00648-12	3/4"	7/8"	1"	6-1/2"	0.008"	12	0.96
00649-12	1"	1-1/8"	1"	6-1/2"	0.010"	12	0.96
00650-6	1-1/4"	1-3/8"	1"	6-1/2"	0.010"	6	0.48
00651-6	1-1/2"	1-5/8"	1"	6-1/2"	0.010"	6	0.48
00652-6	2"	2-1/8"	1"	6-1/2"	0.010"	6	0.48

AGGRESSIVE LEVEL



500 SERIES - STANDARD CARBON STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning and scoring to prepare copper for sweating the fitting and pipe together

ID Plumbing Size: 1/8" to 2"

Handle: Wire handle for easy grip

Filament: Carbon steel

Construction: Single Spiral / Single Stem



Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
00543-12	1/8"	1/4"	1"	6-1/4"	0.006"	12	0.24
00544-12	1/4"	3/8"	1"	6-1/4"	0.006"	12	0.48
00545-12	3/8"	1/2"	1"	6-1/4"	0.006"	12	0.48
00546-12	1/2"	5/8"	1"	6-1/4"	0.007"	12	0.48
00547-12	5/8"	3/4"	1"	6-1/4"	0.007"	12	0.48
00548-12	3/4"	7/8"	1"	6-1/4"	0.007"	12	0.48
00549-12	1"	1-1/8"	1"	6-1/4"	0.008"	12	0.48
00550-6	1-1/4"	1-3/8"	1"	6-1/4"	0.010"	6	0.36
00551-6	1-1/2"	1-5/8"	1"	6-1/4"	0.010"	6	0.36
00552-6	2"	2-1/8"	1"	6-1/4"	0.010"	6	0.36

AGGRESSIVE LEVEL





FITTING BRUSH

FOR CLEANING, SCORING AND PREPARING COPPER FITTINGS AND PIPES

POWER FITTING BRUSH

9700 SERIES - HEX SHAFT STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Pipes where deposits are medium to light

ID Plumbing Size: 1/4" to 1"

Fitting: Hex Shaft – Hex locks into all standard and quick lock type chunks for easy change; MSFS 2,000 RPM

Filament: Stainless steel

Construction: Single Spiral / Single Stem 

Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
09744-12	1/4"	3/8"	1"	2-1/8"	0.006"	12	0.36
09745-12	3/8"	1/2"	1"	2-1/8"	0.006"	12	0.36
09746-12	1/2"	5/8"	1"	2-1/8"	0.006"	12	0.48
09747-12	5/8"	3/4"	1"	2-1/8"	0.006"	12	0.48
09748-12	3/4"	7/8"	1"	2-1/8"	0.008"	12	0.48
09749-12	1"	1-1/8"	1"	2-1/8"	0.008"	12	0.60



9500 SERIES - HEX SHAFT CARBON STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Pipes where deposits are medium to light

ID Plumbing Size: 1/4" to 1"

Fitting: Hex Shaft – Hex locks into all standard and quick lock type chunks for easy change; MSFS 2,000 RPM

Filament: Carbon steel

Construction: Single Spiral / Single Stem 

Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
09544-12	1/4"	3/8"	1"	2-1/8"	.006	12	.36
09545-12	3/8"	1/2"	1"	2-1/8"	.006	13	.36
09546-12	1/2"	5/8"	1"	2-1/8"	.007	14	.48
09547-12	5/8"	3/4"	1"	2-1/8"	.007	15	.48
09548-12	3/4"	7/8"	1"	2-1/8"	.008	16	.48
09549-12	1"	1-1/8"	1"	2-1/8"	.010	17	.60





8700 SERIES - TWISTED STEM STAINLESS STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Pipes where deposits are medium to light

ID Plumbing Size: 1/8" to 1"

Fitting: Twisted Stem - Power fitting brush with 2-1/2" stem; MSFS 2,000 RPM

Filament: Stainless steel

Construction: Single Spiral / Single Stem 

Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
08743-12	1/8"	1/4"	1"	3-5/8"	0.006"	12	0.24
08744-12	1/4"	3/8"	1"	3-5/8"	0.006"	12	0.24
08745-12	3/8"	1/2"	1"	3-5/8"	0.006"	12	0.36
08746-12	1/2"	5/8"	1"	3-5/8"	0.006"	12	0.36
08747-12	5/8"	3/4"	1"	3-5/8"	0.006"	12	0.48
08748-12	3/4"	7/8"	1"	3-5/8"	0.008"	12	0.48
08749-12	1"	1-1/8"	1"	3-5/8"	0.008"	12	0.60

AGGRESSIVE LEVEL



8500 SERIES - TWISTED STEM CARBON STEEL - SINGLE SPIRAL / SINGLE STEM

Recommended Cleaning: Pipes where deposits are heavy

ID Plumbing Size: 1/8" to 1"

Fitting: Twisted Stem - Power fitting brush with 2-1/2" stem; MSFS 2,000 RPM

Filament: Carbon steel

Construction: Single Spiral / Single Stem 

Item #	ID Size	OD Size	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
08543-12	1/8"	1/4"	1"	3-5/8"	0.006"	12	0.24
08544-12	1/4"	3/8"	1"	3-5/8"	0.006"	12	0.24
08545-12	3/8"	1/2"	1"	3-5/8"	0.006"	12	0.36
08546-12	1/2"	5/8"	1"	3-5/8"	0.007"	12	0.36
08547-12	5/8"	3/4"	1"	3-5/8"	0.007"	12	0.48
08548-12	3/4"	7/8"	1"	3-5/8"	0.008"	12	0.48
08549-12	1"	1-1/8"	1"	3-5/8"	0.010"	12	0.6

AGGRESSIVE LEVEL





PLUMBING ACCESSORIES

FOR CLEANING FITTINGS AND PIPES

PLUMBING BRUSHES

OUTSIDE TUBE BRUSH STAINLESS STEEL

Recommended For: Cleaning light deposits outside of pipes

OD Pipe Size: 5/8" to 7/8"

Construction: Stainless Steel Brush Fill; tough molded plastic holder with comfortable sure grip design

Item #	Cleans Pipe OD Size	Block Diameter	Filament Diameter	Pack Size	Pack Weight (LBS)
00966-6	5/8"	1-1/2"	0.0125"	6	0.24
00967-6	3/4"	1-7/8"	0.014"	6	0.48
00968-6	7/8"	1-7/8"	0.014"	6	0.48

AGGRESSIVE LEVEL



4-IN-1 TOOL

Recommended For: Cleaning light deposits outside of pipe

ID Pipe Size: 1/2" & 3/4"

Construction: Carbon Steel Brush Fill

Replacement Kit Contains:

1 each 1/2" and 3/4" fitting cleaning brushes

1 each 1/2" and 3/4" pipe cleaning brushes

Item #	Cleans Pipe ID Size	Block Diameter	Filament Diameter	Pack Size	Pack Weight (LBS)
00977-12	1/2" & 3/4"	1-3/4"	0.006"	12	3.50

AGGRESSIVE LEVEL



ACID BRUSH

Recommended For: Applying oil based solvents, glue, paint, and lubricants

Brush Width: 3/8" to 5/8"

Filament: Horsehair

Handle: Tin

Item #	Description	Fill Type	Brush Width	Overall Length	Pack Size	Pack Weight (LBS)
10001	#1	Horsehair	3/8"	6"	144	2.14
10002	#2	Horsehair	1/2"	6"	144	2.64
10003	#3	Horsehair	5/8"	6"	144	3.30





DOPE BRUSH

Recommended For: Applying oil based solvents, glue, paint, and lubricants

Brush Width: 3/4"

Filament: Horsehair

Handle: Wood

Item #	Description	Fill Type	Brush Width	Overall Length	Pack Size	Pack Weight (LBS)
10007	#7	Horsehair	3/4"	7"	36	1.34



NATURAL BRISTLE CHIP BRUSH

Recommended For: Applying flux to copper pipes or mastics to ducts

Brush Width: 1" to 3"

Filament: White Natural Bristle

Handle: Wood - Plain Sanded

Item #	Brush Width	Brush Trim	Brush Thickness	Overall Length	Pack Size	Pack Weight (LBS)
67192	1"	1-1/2"	5/16"	7-1/4"	36	1.44
67193	1-1/2"	1-1/2"	5/16"	7-1/2"	36	1.44
67194	2"	1-1/2"	5/16"	8"	24	1.44
67195	2-1/2"	1-1/2"	3/8"	8"	24	2.40
67196	3"	1-1/2"	3/8"	8"	24	2.40



SCRATCH BRUSH

Recommended Use: General cleaning and surface preparation

Filament: Nylon, Brass or Stainless Steel

Handle: Wood or Plastic

Item #	Fill Type	Filament Diameter	Handle Type	Fill Trim Height	Length x Width Brush Part	Row Fill	Overall Length	Pack Size	Pack Weight (LBS)
25407	Nylon	0.015"	Plastic	1/2"	1-1/2" x 3/8"	3 x 7	7-1/4"	36	1.50
81003	Brass	0.015"	Wood	1/2"	1-1/2" x 3/8"	3 x 7	8"	36	1.70
25302	Brass	0.006"	Wood	5/8"	2-7/8" x 3/8"	2 x 9	8-5/8"	36	1.50
25405	Brass	0.005"	Plastic	1/2"	1-1/2" x 3/8"	3 x 7	7-1/4"	36	1.50
81002	Stainless Steel	0.005"	Wood	1/2"	1-1/2" x 3/8"	3 x 7	8"	36	1.70
25301	Stainless Steel	0.005"	Wood	5/8"	2-7/8" x 3/8"	2 x 9	8-5/8"	36	1.50
25404	Stainless Steel	0.005"	Plastic	1/2"	1-1/2" x 3/8"	3 x 7	7-1/4"	36	1.50
25406	Bronze	0.006"	Plastic	1/2"	7-1/4" x 7/16"	3 x 7	7"	36	1.50



25405



81002

DUSTING BRUSH - LONG HANDLE

Recommended Cleaning: Dusting particles and residue from flat surfaces

Overall Length: 24"

Filament: Horsehair

Handle: Plastic

Item #	Fill Material	Fill Trim Height	Row Fill	Overall Length	Length x Width Brush Part	Pack Size	Pack Weight (LBS)
76026	Horsehair	2-1/4"	1 x 26	24"	10" x 1/4"	12	4.4



TWISTED-IN-WIRE BRUSHES

HOW IT'S MADE

Twisted-in-Wire brushes are made by placing filament material between stem wire and twisting it to produce a spiral shape brush. The construction of the brush paired with a particular filament is the key to the versatility of this brush type. Commonly used for cleaning, polishing, removal of burrs and other surface preparation, they are designed to meet a variety of application and abrasion requirements.

Twisted-in-Wire brushes are categorized into three different configurations and include a broad range of filament, tip and end options.




Single Spiral / Single Stem

Brush fill is twisted between two stem wires with a single wire on each side.



Single Spiral / Double Stem

Brush fill is twisted between four stem wires with a single wire on each side.



Double Spiral / Double Stem

Brush fill is twisted between four stem wires with two layers of fill. Each layer is perpendicular to the other with a single stem wire in each quadrant.



Twisted End



Vinyl Tip



Blunt End



Turned Tuft

Brush Filament Types

Nylon
Polypropylene
Brass
Stainless Steel
Carbonized Steel
Custom

End Handle Types

Pipe Nipple
Wood Handle
Plastic Handle
Straight Stem

Tip Types

Twisted End
Vinyl Tip
Blunt End
Turned Tuft
Tied Tuft

CUSTOM OPTIONS

Looking for a custom brush for your unique application, but not quite sure where to start? We do. Let's talk.

With more than 100 years of experience in brush manufacturing, we have the engineering skills and manufacturing capacity to create custom brushes for any application. We can consult with you on your needs, then design and manufacture the appropriate brush, or we can manufacture based on your design.

Custom brushes can be designed with aluminum, steel or stainless steel cores, and with any filament type.

Filament types include nylon, polypropylene, polyester, tampico, horse hair, brass, phosphorous bronze, stainless steel, carbon steel and, for metal-back strip brushes, silicon carbide and aluminum oxide.

For more information on custom options, contact Schaefer Brush at **800-347-3501** or visit **schaeferbrush.com**.

Need larger quantities? We can do that.

We offer bulk ordering and bulk packaging is available. For more information on large-quantity ordering, contact Schaefer Brush at **800-347-3501** or visit **schaeferbrush.com**.



BRUSHES FOR:

MRO/ INDUSTRIAL

Schaefer's brushes fulfill many needs and are widely used for surface preparation, treatment, and scheduled maintenance to keep manufacturing equipment performing at its best.



INDUSTRIAL TUBE BRUSHES.....	48-50
STAINLESS STEEL TUBE BRUSHES	
SINGLE SPIRAL / SINGLE STEM.....	48
EXTRA LONG HANDLE/STIFF WIRE CLEANING	
SINGLE SPIRAL / SINGLE STEM.....	49
BRASS TUBE BRUSHES SINGLE	
SPIRAL / SINGLE STEM.....	49
NYLON TUBE BRUSHES	
SINGLE SPIRAL / SINGLE STEM.....	50
NATURAL BRISTLE TUBE BRUSHES	
SINGLE SPIRAL / SINGLE STEM.....	50
FOOD GRADE BRUSHES.....	51-52
COLORLED NYLON SINGLE SPIRAL / SINGLE STEM.....	51
NYLON - SINGLE SPIRAL / SINGLE STEM.....	51
WHITE NYLON ROD - FOOD GRADE.....	52
WHITE NYLON - SCRUB BRUSH.....	52
WHITE FIBERGLASS HANDLE - FOOD GRADE.....	52
SCRATCH BRUSHES.....	53-55
DIE CAST BRUSH.....	53
WELDER'S BRUSH.....	53
SHOE HANDLE BRUSH.....	53
BRASS UTILITY BRUSH.....	54
CURVED HANDLE BRUSH.....	54
STIFF WIRE DUSTER.....	54
STOVE AND APPLIANCE.....	55
SCRUB BRUSHES.....	56
SURE-SURFACE BRUSH.....	56
SPOKE BRUSH.....	56
BENCH DUSTER.....	56
DUSTING BRUSH.....	56
CHIP BRUSHES.....	57-58
NATURAL BRISTLE CHIP BRUSH.....	57
POLYESTER VARNISH BRUSH.....	57
FLAT OIL CHIP BRUSH.....	58
WIRE HANDLE CHIP BRUSH.....	58
CUSTOM SOLUTIONS.....	58



INDUSTRIAL TUBE BRUSHES

FOR CLEANING A VARIETY OF TUBE SURFACES

INDUSTRIAL TUBE BRUSHES

STAINLESS STEEL TUBE BRUSHES SINGLE SPIRAL / SINGLE STEM

Recommended For: Tubes with medium level deposits

Filament: Stainless Steel

Length: 7" - 27"

Standard Ship Quantity: 12

Construction: Single Spiral / Single Stem 

Items #	Brush Diameter	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
14402	1/4"	3"	15"	0.005"	12	0.7
14404	3/8"	3"	15"	0.005"	12	0.8
14406	1/2"	3"	15"	0.006"	12	1.1
14408	5/8"	3"	15"	0.006"	12	1.3
14410	3/4"	3"	15"	0.007"	12	1.4
14412	7/8"	3"	15"	0.007"	12	1.5
14414	1"	3"	15"	0.007"	12	1.5
14416	1-1/4"	3"	15"	0.007"	12	1.7
14418	1-1/2"	3"	15"	0.007"	12	1.9
14442	1/4"	3"	27"	0.005"	12	1.2
14444	3/8"	3"	27"	0.005"	12	1.5
14446	1/2"	3"	27"	0.006"	12	1.8
14448	5/8"	3"	27"	0.006"	12	1.9
14450	3/4"	3"	27"	0.007"	12	2.4
14452	7/8"	3"	27"	0.007"	12	2.4
14454	1"	3"	27"	0.007"	12	2.4
14456	1-1/4"	3"	27"	0.007"	12	2.7
14458	1-1/2"	3"	27"	0.009"	12	2.8
01003	5/16"	1-1/2"	7"	0.004"	12	0.7
01004	3/8"	2"	8"	0.005"	12	0.8
01005	7/16"	2"	8"	0.005"	12	0.3
01006	1/2"	2"	8"	0.005"	12	0.1
01020	1/8"	1"	7"	0.005"	12	0.1
01021	3/16"	1-1/2"	7"	0.005"	12	0.1
01022	1/4"	1-1/2"	7"	0.005"	12	0.2
01023	5/16"	1-1/2"	7"	0.006"	12	0.2
01024	3/8"	2"	8"	0.006"	12	0.3
01025	7/16"	2"	8"	0.006"	12	0.8
01026	1/2"	2"	8"	0.006"	12	0.3
01028	3/4"	2-1/2"	9"	0.007"	12	0.7

AGGRESSIVE LEVEL





EXTRA LONG HANDLE/STIFF WIRE CLEANING SINGLE SPIRAL / SINGLE STEM

Recommended For: Tubes with heavy level deposits

Filament: Stainless Steel

Length: 42"

Standard Ship Quantity: 12

Construction: Single Spiral / Single Stem 

Items #	Brush Diameter	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
76252	1/2"	4"	42"	0.006"	12	6.2
76253	3/4"	4"	42"	0.006"	12	6.3
76254	1"	4"	42"	0.007"	12	6.4

AGGRESSIVE LEVEL




BRASS TUBE BRUSHES SINGLE SPIRAL / SINGLE STEM

Recommended For: Tubes with light level deposits

Filament: Brass

Length: 7" - 27"

Standard Ship Quantity: 12

Construction: Single Spiral / Single Stem 

Items #	Brush Diameter	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
14602	1/4"	3"	15"	0.005"	12	0.6
14604	3/8"	3"	15"	0.005"	12	0.9
14606	1/2"	3"	15"	0.006"	12	1.0
14608	5/8"	3"	15"	0.006"	12	1.4
14610	3/4"	3"	15"	0.006"	12	1.4
14642	1/4"	3"	27"	0.005"	12	1.2
14644	3/8"	3"	27"	0.005"	12	1.5
14646	1/2"	3"	27"	0.006"	12	1.8
14648	5/8"	3"	27"	0.006"	12	2.3
14650	3/4"	3"	27"	0.006"	12	2.4
14652	7/8"	3"	27"	0.006"	12	2.5
14654	1"	3"	27"	0.006"	12	2.4
14656	1-1/4"	3"	27"	0.008"	12	2.7
14658	1-1/2"	3"	27"	0.008"	12	2.8
01042	1/4"	1-1/2"	7"	0.004"	12	0.2
01043	5/16"	1-1/2"	7"	0.004"	12	0.2
01044	3/8"	2"	8"	0.004"	12	0.3
01045	7/16"	2"	8"	0.004"	12	0.8
01046	1/2"	2"	8"	0.004"	12	0.3
01047	5/8"	2-1/2"	9"	0.005"	12	0.7
01048	3/4"	2-1/2"	9"	0.005"	12	0.7
01049	7/8"	2-1/2"	10"	0.005"	12	1.3
01050	1"	2-1/2"	10"	0.005"	12	1.0

AGGRESSIVE LEVEL





INDUSTRIAL TUBE BRUSHES

FOR CLEANING A VARIETY OF TUBE SURFACES

NYLON TUBE BRUSHES SINGLE SPIRAL / SINGLE STEM

Recommended For: Tubes with light level deposits

Filament: Nylon

Length: 6-1/2" - 36"

Standard Ship Quantity: 12

Construction: Single Spiral / Single Stem 

Items #	Brush Diameter	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
14504	1/4"	2"	6-1/2"	0.012"	12	0.2
14506	1/4"	2"	15"	0.012"	12	0.6
14509	5/16"	2"	15"	0.012"	12	0.6
14510	3/8"	2"	6-1/2"	0.012"	12	0.2
14512	3/8"	2"	15"	0.012"	12	0.6
14515	7/16"	2"	15"	0.012"	12	0.6
14517	1/2"	3"	9"	0.012"	12	0.5
14518	1/2"	3"	15"	0.012"	12	0.7
14520	1/2"	3"	30"	0.012"	12	1.4
14524	5/8"	3"	15"	0.012"	12	0.7
14529	3/4"	3"	9"	0.008"	12	0.6
14530	3/4"	3"	15"	0.012"	12	1.0
14533	3/4"	3"	30"	0.008"	12	2.5
14539	1"	4"	15"	0.014"	12	1.0
14547	1-1/4"	4"	15"	0.014"	12	1.4
14565	1-1/2"	4"	15"	0.016"	12	1.6
14567	1-1/2"	4"	36"	0.012"	6	1.7
14573	1-3/4"	4"	15"	0.016"	12	1.6
14582	2"	4"	15"	0.012"	12	1.7

AGGRESSIVE LEVEL



NATURAL BRISTLE TUBE BRUSHES SINGLE SPIRAL / SINGLE STEM

Recommended For: Tubes with light level deposits

Filament: Nylon

Length: 6-1/2" - 36"

Standard Ship Quantity: 12

Construction: Single Spiral / Single Stem 

Items #	Brush Diameter	Brush Length	Overall Length	Filament Diameter	Pack Size	Pack Weight (LBS)
10217	1-1/4"	4"	18"	N/A	12	2.0
10218	1-1/2"	4"	18"	N/A	12	2.1

AGGRESSIVE LEVEL





FOOD GRADE BRUSHES

COLORED NYLON SINGLE SPIRAL / SINGLE STEM

Recommended For: Cleaning in food industry interior tubes and pipes when pressure washing not applicable

Filament: FDA approved nylon

Length: 18" or 36"

Standard Ship Quantity: 20

Colors Available: White = W, Blue = BL, Green = GR, Red = RE, Yellow = YE, Tan = TA, Brown = BR

Construction: Single Spiral / Single Stem 

Items #	Brush Diameter	Fill Diameter	Overall Length	Pack Sizes	Pack Weight (LBS)
78002	1/4"	0.012"	18"	20	1.6
78006	1/4"	0.012"	36"	20	2.8
78010	3/8"	0.012"	18"	20	1.6
78014	3/8"	0.012"	36"	20	2.8
78018	1/2"	0.012"	18"	20	1.6
78022	1/2"	0.012"	36"	20	2.8
78026	3/4"	0.012"	18"	10	1.8
78030	3/4"	0.012"	36"	10	2.4
78034	1"	0.018"	18"	10	1.8
78038	1"	0.018"	36"	10	2.4
78042	1-1/2"	0.018"	18"	10	1.8
78046	1-1/2"	0.018"	36"	10	2.4
78050	2"	0.018"	18"	10	1.8
78054	2"	0.018"	36"	10	2.4



NYLON - SINGLE SPIRAL / SINGLE STEM

Recommended For: Food industry tubes and pipes when pressure washing not applicable

Filament: FDA approved nylon

Length: 7"

Standard Ship Quantity: 1

Construction: Single Spiral / Single Stem 

Item #	Brush Diameter	Overall Fill Diameter	Length	Brush Body Length	Pack Sizes	Each Weight (LBS)
42602	1"	0.018"	7"	4-1/2"	1	0.23
42604	1-1/2"	0.018"	7"	4-1/2"	1	0.24
42606	2"	0.018"	7"	4-1/2"	1	0.27
42608	2-1/2"	0.025"	7"	4-1/2"	1	0.29
42610	3"	0.025"	7"	4-1/2"	1	0.31
42614	4"	0.036"	7"	4-1/2"	1	0.37
42618	5"	0.036"	7"	4-1/2"	1	0.51
42622	6"	0.045"	7"	4-1/2"	1	0.53
42630	8"	0.060"	7"	4-1/2"	1	0.8





FOOD GRADE BRUSHES

Cleaning variety of surfaces including Food Grade with FDA Approved Nylon Filament

WHITE NYLON ROD - FOOD GRADE

Recommended For: Extension rod for food grade tube brush

Material: Food grade nylon

Length: 4'

Standard Ship Quantity: 1 or 4

Item #	Diameter	Length	Pack Sizes	Each Weight (LBS)
36144S	3/8"	4'	1	2.50
36144S-4	3/8"	4'	4	3.25



WHITE NYLON - SCRUB BRUSH

Recommended For: Food industry cleaning tanks, vessels, walls and floors

Filament: FDA Approved Nylon – available soft, medium, stiff

Standard Ship Quantity: 10

Item #	Fill Diameter	Aggressiveness	Pack Sizes	Pack Weight (LBS)
66370	0.012"	Soft	10	9.52
66373	0.018"	Medium	10	9.52
66377	0.025"	Stiff	10	9.52



WHITE FIBERGLASS HANDLE - FOOD GRADE

Recommended For: Food grade sure surface scrub brush

Material: Fiberglass

Length: 60"

Standard Ship Quantity: 10

Item #	Diameter	Length	Pack Sizes	Pack Weight (LBS)
69061	1-5/16"	60"	10	9.52





SCRATCH BRUSHES

DIE CAST BRUSH

Recommended For: Cleaning die casts

Overall Length: 7-1/4"

Filament: Stainless Steel, Brass or Nylon

Handle: Plastic

Standard Ship Quantity: 36

Item #	Fill Material	Fill Diameter	Row	Trim	Brush Part Length	Overall Length	Pack Sizes	Pack Weight (LBS)
25404	Stainless Steel	0.005"	3" x 7"	1/2"	1-1/2"	7-1/4"	36	1.5
25405	Brass	0.005"	3" x 7"	1/2"	1-1/2"	7-1/4"	36	1.5
25407	Nylon	0.015"	3" x 7"	1/2"	1-1/2"	7-1/4"	36	1.5



WELDER'S BRUSH

Recommended For: Cleaning after welding projects

Overall Length: 7-3/4"

Filament: Stainless Steel or Brass

Handle: Wood

Standard Ship Quantity: 36

Item #	Fill Material	Fill Diameter	Row	Trim	Brush Part Length	Overall Length	Pack Sizes	Pack Weight (LBS)
81002	Stainless Steel	0.006"	3" x 7"	1/2"	1-1/2"	7-3/4"	36	1.7
81003	Brass	0.005"	3" x 7"	1/2"	1-1/2"	7-3/4"	36	1.7



SHOE HANDLE BRUSH

Recommended For: Various surface cleaning and preparation

Overall Length: 10"

Filament: Brass or Tempered Steel

Handle: Wood

Standard Ship Quantity: 12

Item #	Fill Material	Fill Diameter	Row	Trim	Brush Part Length	Overall Length	Pack Sizes	Pack Weight (LBS)
81234	Tempered Steel	0.013"	4" x 16"	1-3/16"	1-1/2"	5"	12	5
81228	Brass	0.008"	4" x 18"	1"	1-1/2"	5"	12	5





SCATCH BRUSHES

GENERAL CLEANING AND SURFACE PREP

BRASS UTILITY BRUSH

Recommended For: General cleaning and surface prep

Brush Measurement: 1-1/4" x 2-1/4" or 2-1/4" x 3"

Filament: Crimped Brass

Handle: Wood

Standard Ship Quantity: 12

Item #	Row	Trim	Width	Overall Length	Pack Sizes	Pack Weight (LBS)
27698	6" x 9"	5/8"	1-5/8"	6-3/4"	12	2.25
27668	9" x 10"	5/8"	2-5/8"	8-7/8"	12	4.75



CURVED HANDLE BRUSH

Recommended For: Aggressive cleaning

Overall Length: 13-3/4"

Filament: Tempered Steel

Handle: Wood

Standard Ship Quantity: 12

Item #	Fill Material	Fill Diameter	Row	Trim	Brush Part Length	Overall Length	Pack Sizes	Pack Weight (LBS)
81009	Tempered Steel	0.012"	3" x 19"	1-3/16"	6-1/4"	13-3/4"	12	5.5
81010	Tempered Steel	0.012"	4" x 19"	1-3/16"	6-1/4"	13-3/4"	12	6.5



STIFF WIRE DUSTER

Recommended For: General dusting and cleaning

Filament: Tempered Steel

Handle: Wood

Standard Ship Quantity: 12

Item #	Fill Material	Fill Diameter	Row	Trim	Brush Part Length	Length x Width	Pack Sizes	Pack Weight (LBS)
81461	Tempered Steel	0.013"	4 x 8	2-3/8"	1-1/4"	2-3/4" x 1-3/16"	12	3.75





STOVE AND APPLIANCE

Recommended For: Cleaning metal surfaces

Overall Length: 8-5/8"

Filament: Tempered Steel

Handle: Wood

Standard Ship Quantity: 36

Item #	Fill Material	Fill Diameter	Row	Trim	Brush Part Length	Overall Length	Pack Sizes	Pack Weight (LBS)
25301	Stainless Steel	0.005"	2" x 9"	5/8"	2-7/8"	8-5/8"	36	5.5
25302	Brass	0.006"	2" x 9"	5/8"	2-7/8"	8-5/8"	36	6.5





SCRUB BRUSHES

SURE-SURFACE BRUSH

Recommended For: Sure-Surface brush design with 220 degrees of bristles allow user to move in a natural motion

Filament: Polyester available in stiff

Handle: Use standard threaded handles

Standard Ship Quantity: 10

Item #	Fill	Fill Diameter	Description	Pack Sizes	Pack Weight (LBS)
66374	Poly (Blue)	0.018"	Stiff	10	9.52
66331	Fiber/Poly (Brown and Tan)	0.012/0.30"	Stiff	10	9.52



SPOKE BRUSH

Recommended For: Cleaning hard to reach areas

Filament: Tampico or Polypropylene

Length: 14"

Standard Ship Quantity: 12

Item #	Material	Fill Diameter	Brush Length	Overall Length	End	Pack Sizes	Pack Weight (LBS)
90422	Tampico	N/A	9"	14"	Blunt	12	3.6
90426	Poly	0.020"	9"	14"	VINYL	12	3.6



BENCH DUSTER

Recommended For: General cleaning and sweeping of flat surfaces

Filament: Still Black Horsehair

Length: 14"

Standard Ship Quantity: 12

Item #	Material	Brush Face	Overall Length	Trim	Pack Sizes	Pack Weight (LBS)
62034	Still Black Horsehair	2" x 8"	14"	2-1/2"	12	9.00



DUSTING BRUSH

Recommended For: Sweeping a variety of material and debris off surfaces

Filament: Horsehair

Length: 24"

Standard Ship Quantity: 12

Item #	Material	Fill Trim Height	Row Fill	Overall Length	Length x Width Brush Part	Pack Size	Pack Weight (LBS)
76026	Horsehair	2-1/4"	1 x 26	24"	10" x 1/4"	12	4.4



CHIP BRUSHES

NATURAL BRISTLE CHIP BRUSH

Recommended For: One time projects including glue, adhesives and paint removers

Filament: White Natural Bristle, ideal for oil based liquids

Brush Width: 1" – 4"

Handle: Plain Sanded Wood

Standard Ship Quantity: 24 – 36

Item #	Fill Material	Brush Width	Thickness	Trim	Overall Length	Pack Sizes	Pack Weight (LBS)
67192	White Natural Bristle	1"	5/16"	1-5/8"	7-1/4"	36	1.44
67193	White Natural Bristle	1-1/2"	5/16"	1-5/8"	7-1/2"	36	1.44
67194	White Natural Bristle	2"	5/16"	1-5/8"	8"	24	1.44
67195	White Natural Bristle	2-1/2"	3/8"	1-5/8"	8"	24	2.40
67196	White Natural Bristle	3"	3/8"	1-5/8"	8"	24	2.40
67197	White Natural Bristle	4"	3/8"	1-5/8"	8"	24	2.42



POLYESTER VARNISH BRUSH

Recommended For: One time use projects including glue, adhesive or other water based products

Filament: Polyester Bristle

Brush Width: 2" – 3"

Handle: Plastic

Standard Ship Quantity: 12 – 24

Item #	Fill Material	Brush Width	Thickness	Trim	Overall Length	Pack Sizes	Pack Weight (LBS)
67242	Polyester Bristle	1-1/2"	5/16"	1-3/4"	7-1/2"	36	1.65
67243	Polyester Bristle	2"	5/16"	1-3/4"	7-3/4"	24	1.70
67244	Polyester Bristle	2-1/2"	3/8"	2"	8"	12	1.25
67245	Polyester Bristle	3"	3/8"	2"	8-1/4"	12	1.50





CHIP BRUSHES

SPECIALTY CLEANING AND APPLICATIONS

FLAT OIL CHIP BRUSH

Recommended For: Water or oil based glues, adhesives, or paints

Brush Width: 1-3/4"

Filament: Natural Tampico

Handle: Twisted wire with loop handle

Standard Ship Quantity: 36

Item #	Brush Material	Brush Width	Thickness	Brush Length	Overall Length	Pack Sizes	Pack Weight (LBS)
24800	Tampico	1-3/4"	1-1/2"	2-1/2"	8-1/4"	36	3.25



WIRE HANDLE CHIP BRUSH

Recommended For: Rust and corrosion in high heat applications

Brush Width: 1-1/4"

Filament: Stainless Steel

Handle: Wire Loop

Standard Ship Quantity: 12

Item #	Fill Material	Fill Diameter	Trim	Brush Width	Brush Thickness	Overall Length	Pack Sizes	Pack Weight (LBS)
81617	Stainless Steel	0.015"	1-1/2"	1-1/4"	1/8"	5-1/2"	12	1.20



CUSTOM OPTIONS

Looking for a custom brush for your unique application, but not quite sure where to start? We do. Let's talk.

With more than 100 years of experience in brush manufacturing, we have the engineering skills and manufacturing capacity to create custom brushes for any application. We can consult with you on your needs, then design and manufacture the appropriate brush, or we can manufacture based on your design.

Custom brushes can be designed with aluminum, steel or stainless steel cores, and with any filament type.

Filament types include nylon, polypropylene, polyester, tampico, horse hair, brass, phosphorous bronze, stainless steel, carbon steel and, for metal-back strip brushes, silicon carbide and aluminum oxide.

For more information on custom options, contact Schaefer Brush at **800-347-3501** or visit schaeferbrush.com.

Need larger quantities? We can do that.

We offer bulk ordering and bulk packaging is available. For more information on large-quantity ordering, contact Schaefer Brush at **800-347-3501** or visit schaeferbrush.com.






BRUSHES FOR: **CONVEYOR CLEANING**

S-VECO SYSTEM

The S-Veco conveyor cleaning system retrofits onto your conveying line and cleans conveyor belts above and below. Commonly used in industries that use shot-blasting equipment to remove media from surfaces. As well as applications to prepare woodworking, food baking lines, and settings where polishing is required for final preparation.

Contact Schaefer Brush for more information about customizable cleaning solutions for:
Conveyor, Plate or Slab Cleaning • Mold Car Sweeping • Panel Dusting/Light Sanding





PROUDLY MADE IN AMERICA

Schaefer Brush's 70,000-square-foot facility in Waukesha (located west of Milwaukee), Wisconsin, includes automatic twisting machines, automatic staple machines, engineering, and a fully equipped and staffed machine shop. That capacity allows us to get product to distributors and end users quickly.

Our customer service staff is ready to take your calls between 8 a.m. and 4:30 p.m., Central Time, toll-free at **800-347-3501**.



MADE IN USA



QUALITY | SERVICE | INTEGRITY



Schaefer Brushes are industrial quality, long-lasting, efficient cleaning tools designed to perform under heavy use by tradesmen, manufacturers and maintenance professionals. Our in-house design and engineering teams, manufacturing capabilities and extensive inventory makes us the right choice for both your most common and custom brush needs.

THE MOST RESPONSIVE SERVICE AND PRODUCT AVAILABILITY

Distributors and manufacturers value Schaefer Brush's product availability and reliability, competitive pricing, and our timely response to customer needs. End users value the durability and reliability of our brushes.

In business since 1905, Schaefer Brush has extensive experience in brush applications, bolstered by engineering expertise for designing custom brushes, complete brush systems, and brush components for machinery. With an extensive portfolio of tradesman quality brushes in stock and unlimited custom brush capabilities, we are one of the most diverse brush manufacturers in the industry.

Our pre-engineered and custom brushes are tailored to meet the needs of HVAC technicians and maintenance/repair businesses to prepare and maintain heating, venting and air conditioning systems.

Our wire wheel and cup brushes offer a unique alternating knot design that reduces power tool vibration, lowers operator fatigue, and extends the life of the brush.

We know the requirements of cleaning and preparing HVAC/R systems to keep things running efficiently. Our products are engineered to remove dust and dirt to keep compressors running at an optimum level allowing for longer system life. We have carefully designed fitting brushes that allow for preparation of both the insides and outsides of copper fittings for proper sweating. If you can't find exactly what you are looking for, contact us at **800-347-3501** and our knowledgeable staff will assist you.

Schaefer Brush

1101 South Prairie Ave. | Waukesha, WI 53186

Phone Number: **800-347-3501** | 262-547-3500

Fax Number: 262-547-3927 | Email: cs@schaeferbrush.com

Web: schaeferbrush.com

MARKETS:
HVAC/REFRIGERATION
PLUMBING
MRO/INDUSTRIAL
CONVEYOR CLEANING

SCHAEFER
BRUSH

QUALITY | SERVICE | INTEGRITY

1101 South Prairie Ave. | Waukesha, WI 53186

schaeferbrush.com | customerservice@schaeferbrush.com | 800.347.3501

